



2019

Valido desde 01.01.19 hasta 31.12.19

WATROPUR
Cold temperature / Sludge drying solutions

WATROMAT®

**Soluciones para secado de
lodos desde plantas de
tratamiento aguas residuales**



China
Alemania
Holanda
Hong-Kong
Italia
Colombia
Croacia
Austria
Rumania
Suiza
Corea del sur
Turquía
Hungría

Watropur Ltd
Watropur GmbH
Watropur BV
Watropur Ltd
Watropur S.r.l
Watropur S.A.S.
Watropur doo
Watropur GmbH
Watropur Ltd
Watropur AG
Watropur Ltd
Watropur Ltd
Watropur Kft

Lianyungang
Düren
Leusden
Hong-Kong
Parma
Bogota
Križevci
Graz
Avrig
Interlaken
Seoul
Estambul
Budapest

Fab 1+2 Suiza



2'500 m2

Fab 3+4 Croacia



11'000 m2

Fab 5+6 China



16'000 m2

info@watropur.com

www.watropur.com

WATROMAT®

Secador de lodos

WATROPUR es su socio para deshidratación y secado de lodo desde plantas de tratamiento aguas residuales en el comercio, industria y municipios.

Plantas tratamiento agua residuales municipales
Químico/Farmacéutico/Cosméticos
Automotriz/Metal/Fundición/PCB
Recubrimiento/Pintura/Impresión
Lechería/Cervecería/Destilería
Fundición/Estampado metal
Pisicultura/Cuero/Gelatina
Vidrio/Cerámica/Óptica
Transporte/Logística
Residuos/Reciclaje
Textil/Lavandería
Papel/Cartón
Oil/Gas

3000 referencias en más de 50 países

Entrada % sólidos secos		Salida % sólidos secos	parte
2-8	Prensa-secador	90	1
Prensa-secador, Punto de embolsado, Prensa tornillo, Unidad polímero			
20-40	Bunker-secador	90	2
Bunker-secador, Secador cinta, Bunker, Tornillo transportador, Silo			
25-45	Contenedor-secador	90	3
Contenedor-secador, Contenedor, Generador de aire seco			
30-50	Cajita-secador	90	4
Cajita-secador, Cajita, Unidad de embolsado			
Transporte, Erección, Puesta en marcha, supervisión			5

Overview

página

parte



6-
14

1



16-
25

2




26-
30

3



30-
35

4



36-
47

5

Prensa-secador

página parte



8

10



8

11



10

12



11

13

	página	parte
Prensa-secador	8	10
Espesador	10	11
Punto de embolsado Transportador en espiral	10	12
Prensa tornillo, Unidad polímero	12	13


Prensa-secador 10

WATROMAT® Prensa-secador

Press-dryer for dehydrating and drying of sludge from industrial or municipal waste water treatment plants, inlet approx. 2 % dried solids, outlet 90 % dried solids, drying temperature 30°C/86°F, specific electric power consumption dryer: 333 W/kg H₂O, Polymer unit, control cabinet


Material: SS304 (SS316)
Delivery: 1 pc press-dryer
Not included: Tube 130600400

	type	WPD0508	WPD0515
100100100	Prensa-secador	€ 148'860. –	200'175. –
Throughput dried solids	t/day	0.3 - 2	
Dryer water removal at 5-40 °C environment	t/day	0.8	1.5
Electric power consumption	kWh	14.1	23
Cooling water >3 Bar (calculated at 24°C)	m ³ /h	0.3	0.5
Length X	m	2	2.2
Width Y	m	2	
Height Z	m	2.7	
Weight empty	kg	2200	3100
Weight full	kg	2500	3600





	type	WPD1515	WPD1530	WPD1545	WPD1560	WPD1575	WPD1590
100100100	Prensa-secador	€ 222'303. –	290'758. –	344'047. –	398'248. –	453'456. –	498'239
Throughput dried sludge	t/day	0.6 - 4					
Dryer water removal at 5-40 °C environment	t/day	1.5	3	4.5	6	7.5	9
Electric power consumption	kWh	23	43	63	83	102	124
Cooling water >3 Bar (calculated at 24°C)	m ³ /h	0.5	1	1.5	2	2.5	3
Length X	m	2.2	4.1	6	7.9	9.8	11.6
Width Y	m	2					
Height Z	m	3					
Weight empty	kg	3400	4200	5000	6000	6700	7500
Weight full	kg	3900	5100	6400	8100	9300	9200

	type	WPD2560	WPD2575	WPD2590	WPD25105	WPD25120
100100100	Prensa-secador	€ 463'139. –	529'552. –	586'456. –	652'380. –	698'520. –
Throughput dried sludge	t/day	1.2 - 8				
Dryer water removal at 5-40 °C environment	t/day	6	7.5	9	10.5	12
Electric power consumption	kWh	83	103	125	148	172
Cooling water >3 Bar, (calculated at 24°C)	m ³ /h	2	2.5	3	3.5	4
Length X	m	7.9	9.8	11.6	13.5	15.4
Width Y	m	2				
Height Z	m	3.3				
Weight empty	kg	6200	7000	7800	8600	9300
Weight full	kg	8300	9500	13100	14800	15500



	type	WPD5090	WPD50105	WPD50120
100100100	Prensa-secador	€ 646'125. –	705'385. –	767'450. –
Throughput dried sludge	t/day	2.4-12		
Dryer water removal at 5-40 °C environment	t/day	9	10.5	12
Electric power consumption	kWh	127	151	177
Cooling water >3 Bar, (calculated at 24°C)	m ³ /h	2	2.5	3
Length X	m	11.6	13.5	15.4
Width Y	m	1.9		
Height Z	m	3.7		
Weight empty	kg	10900	11800	12750
Weight full	kg	14900	15000	15900




Prensa-secador de dos pisos 10

WATROMAT® Prensa-secador de dos pisos

Press-dryer double-decker (DD) for dehydrating and drying of sludge from industrial or municipal waste water treatment plants, inlet approx. 2 % dried solids, outlet 90 % dried solids, drying temperature 30°C/86°F, specific electric power consumption dryer: 333 W/kg H₂O, Polymer unit, control cabinet

Material: SS304 (SS316)
Delivery: 1 pc press-dryer
Not included: Tube 130600400



	type	WPD25120DD	WPD25150DD	WPD25180DD	WPD25210DD	WPD25240DD
100100200	Prensa-secador DD	€	€	€	€	€
Throughput dried sludge	t/day	682'860. –	860'420. –	1'005'210. –	1'190'060. –	1'276'530. –
Dryer water removal at 5-40 °C environment	t/day	12	15	18	21	24
Electric power consumption	kWh	2x83	2x104	2x125	2x146	2x177
Cooling water >3 Bar (calculated at 24°C)	m ³ /h	2x4	2x2.25	2x3	2x3,5	2x4
Length X	m	7.9	9.5	11.7	13.6	15.4
Width Y	m			2		
Height Z	m			5.5		
Weight empty	kg	8800	9600	12100	14500	15800
Weight full	kg	15000	16800	17400	11940	21400

	type	WPD50120DD	WPD50150DD	WPD50180DD	WPD50210DD	WPD50240DD
100100200	Prensa-secador DD	€	€	€	€	€
Throughput dried sludge	t/day	732'767. –	910'565. –	1'510'929. –	1'245'000. –	1'322'450. –
Dryer water removal at 5-40 °C environment	t/day	12	15	18	21	24
Electric power consumption	kWh	2x83	2x104	2x125	2x146	2x164
Cooling water >3 Bar (calculated at 24°C)	m ³ /h	2x4	2x2.25	2x3	2x3,5	2x4
Length X	m	7.9	9.5	11.7	13.6	15.4
Width Y	m			2		
Height Z	m			6		
Weight empty	kg	9600	12100	14500	15800	17500
Weight full	kg	16800	17400	11940	21400	23200

WATROMAT® Control cabinet prensa-secador

Control cabinet, version as WATROMAT® master (M) or as slave (S) cabinet, master with touch panel KTP900, slave without touch panel, profinet bus, PLC Siemens S7-1512, IO system ET200SP, power distribution, switching and protective devices, command and signaling devices, wired and tested

- Power code 1: 3 x 400 V / 1 x 230 V / 50 Hz
- Power code 2: 3 x 480 V / 1 x 110 V / 60 Hz

Material: Siemens
Delivery: 1 pc cabinet
Not included:

	type	WEL208MWP05	WEL208MWP15	WEL208MWP25	WEL208MWP50
100200100	Control cabinet prensa-secador	€	€	€	€
Length X	mm			800	
Width Y	mm			400	
Height Z	mm			2100	
Weight	kg	56	64	69	75



Espesador 11



WATROMAT® Espesador

Thickener, static, concentrate organic and inorganic slurry from 0,1 to approx. 2 % dried solids, slurry storage tank, slurry pump, pneumatic valve and continuous dried solids sensor

Material: SS316
Delivery: 1 pc thickener
Not included: Tube 130600400
Control cabinet 100200100

110100100	Espesador	type	WTH5	WTH10
		€	178'940. –	209'020. –
Volume	m3		5	10
Electric power consumption	kWh		2.2	
Height	mm		3600	4200
Diameter	mm		3400	4000
Weight empty	t		1.6	2
Weight full	t		6.6	12

WATROMAT® Control cabinet espesador

Control cabinet, execution as WATROMAT® master (M) or as slave (S), master with touch panel, slave without touch panel, Profinet bus, PLC Siemens S7-1512, IO system ET200SP, power distribution, switching and protective devices, command and signaling devices, wired and tested

- Power code 1: 3 x 400 V / 1 x 230 V / 50 Hz
- Power code 2: 3 x 480 V / 1 x 110 V / 60 Hz

Material: Polyester
Delivery: 1 pc cabinet
Not included:

110200100	Control cabinet espesador	type	WEL86S1WTH	WEL86S2WTH
		€	9'856. –	14'850. –
Thickener	pc		1	2
Length X	mm		600	
Width Y	mm		300	
Height Z	mm		800	
Weight	kg		35	45



Punto de embolsado 12

WATROMAT® Punto de embolsado

Bagging point for dried sludge (> 70% dried sludge), bag volume 1 m3, modular frame for maximum five bags, height adjustable hooks, fastenings for spiral conveyor, elevation for 2m3 bags

Material: SS304
Delivery: 1 pc bagging point
Not included: Elevation 120101100



120100100	Punto de embolsado	type	WLS1	WLS2	WLS3	WLS4	WLS5
		€	15'500. –	22'903. –	26'630. –	30'280. –	34'124. –
Bag volume	m3		1	2	3	4	5
Height free below	mm				1400		
Length X	mm		1300	2600	3900	5200	6500
Width Y	mm				1300		
Height Z	mm				2140		
Weight	kg		150	400	500	600	1200



120101100	Elevation	type	WLS1E
		€	3'920. –
Bag volume	m3		2
Elevation	mm		800
Height free below	mm		2200
Weight	kg		24



Transportador en espiral 12

WATROMAT® Transportador en espiral

Spiral conveyor for transport of dried sludge (> 70% dried solids), flexible spiral, feeding height 2.4 m (need 3.6 m length), elbows with 45 degrees (radius 1.5 m), control unit with full flow detector and outlet boot, outlet drop, intake boot.

Material: Tube PVC
Delivery: 1 pc spiral conveyor
Not included:



	type	WSC9	WSC12	WSC15	WSC18	WLS21	WLS24
120300100	Transportador en espiral	€ 3'850. -	€ 4'450. -	€ 5'050. -	€ 5'650. -	€ 6'250. -	€ 6'850. -
Tube length 3 m	pc	3	4	5	6	7	8
Intake boot	pc	1	2	3	4	5	6
Outlet drop	pc	3	4	5	6	7	8
Tube clamps	pc	5	10	15	20	25	35
Length X	m	9	12	15	18	21	24
Weight	kg	65	95	125	155	185	215

120301100	Motor	€ 675. -
Electric power consumption	kW	0.75



120302100

120302100	Control unit	€ 780. -
------------------	---------------------	----------

120303100	Spiral	€/m 175. -
Weight	kg/m	0.6



120302100, 120311100, 120305100, 120303100, 120304100

120304100	End piece	€ 68. -
------------------	------------------	---------



120305100

120305100	Intake boot	€ 675. -
------------------	--------------------	----------


120310100	Tube	€/m 385. -
Weight	kg/m	0.6

120311100	Elbow	€ 185. -
Weight	kg	0.6



120312100

120312100	Outlet drop	€/m 366. -
------------------	--------------------	------------




Prensa tornillo 13

WATROMAT® Prensa tornillo

Screw press for dehydrating of sludge from industrial or municipal wastewater treatment plants, inlet 2-8 % dried solids, outlet 20-50 % dried solids

Material: SS304/316
Delivery: 1 pc screw press
Not included: Flocculation tank 130100100



	type	WSP05	WSP15	WSP25	WSP50	WSP75
130100100	Prensa tornillo	€ 47'565. -	€ 62'630. -	€ 85'052. -	€ 124'075. -	€ 162'575. -
Throughput dried solids organic (biological)	t/day	0.3 - 1.4	0.6 - 2.8	1.2 - 5.6	2.4 - 8.4	3.6 - 13
Throughput dried solids inorganic (chemical)	t/day	0.6 - 2	1.2 - 4	2.4 - 8	4.8 - 12	7.2 - 16
Electric power consumption	kWh	0.35	0.75	1.5	4	9
Wash water	m3/day	0.3	0.6	1.2	1.8	3.6
Compressed air >6 Bar	l/min			50		
Length X	mm	1315	2245	2890	3510	6015
Width Y	mm	620		1240		
Height Z	mm	620	930		1240	
Weight empty	kg	500	1400	2200	4200	8600
Weight full	kg	600	1600	2600	4800	9300




	type	WHR250	WHR400	WHR500	WHR600	WHR700
130101100	Sealing half ring	€/Set 1'584. -	€/Set 1'840. -	€/Set 2'217. -	€/Set 2'985. -	€/Set 3'654. -
Diameter	mm	250	400	500	700	900
Weight	kg/Set	3	5	7	10	15

WATROMAT® Mixing tank

Mixing tank for gentle mixing from sludge with with polymer, closed tank with baffles, agitator, nozzles pressure transmitter

Material: SS 316
Delivery: 1 pc mixing tank
Not included: Pressure transmitter 130111100



	type	WMT05	WMT15	WMT25	WMT50	WMT75
130110100	Mixing tank	€ 8'535. -	€ 9'860. -	€ 10'465. -	€ 11'160. -	€ 12'940. -
Volume	Liter	50	150	250	750	1500
Electric power consumption	kWh	0.37	0.37	0.37	0.55	
Length X1	mm		500		900	1000
Width Y1	mm		500		900	1000
Height Z	mm	1104	1826	1971	2031	2636
Weight empty	kg	100	200	300	480	600
Weight full	kg	250	450	800	1330	2100



	type	WPT1
130111100	Pressure transmitter	€ 1'085. -
Measuring range	mA	4-20

WATROMAT® Control cabinet prensa tornillo

Control cabinet, execution as WATROMAT® master (M) or as slave (S), master with touch panel KTP900, slave without touch panel, Profinet bus, PLC Siemens S7-1512, IO system ET200SP, power distribution, switching and protective devices, command and signaling devices, wired and tested

- Power code 1: 3 x 400 V / 1 x 230 V / 50 Hz
- Power code 2: 3 x 480 V / 1 x 110 V / 60 Hz

Material: WEL86 Polyester, WEL208 lackiert RAL9002
Delivery: 1 pc cabinet
Not included:

		type	WEL86MWSP05	WEL86MWSP15	WEL86MWSP25	WEL208MWSP50	WEL208MWSP75
130200100	Cabinet prensa tornillo	€	12'424. –	13'205. –	14'040. –	14'900. –	15'865. –
Length X	mm		600			800	
Width Y	mm		300			400	
Height Z	mm		800			2100	
Weight	kg		30	35	40	75	85



WATROMAT® Prensa tornillo skid

Screw press skid for dewatering of sludge from industrial or municipal wastewater treatment plants, inlet 2% dried solids, outlet 20-50 % dried solids, basic frame, mixing tank, Polymer unit with dosing pump for liquid Polymer, flow meter for polymer and sludge, sludge pump, flow meter, compressed air, tubes, control cabinet.

Material: SS304/316, Tube PVC
Delivery: 1 pc screw press skid
Not included:

	type	WSP05skid	WSP15skid
130150100	Prensa tornillo modular	€	
Throughput dried solids	t/day	0.3 - 2	0.6 - 4
Electric power consumption	kWh	1.7	3
Polymer liquid (50 % active)	l/hour	0.6	1.2
Water for Polymer	l/hour	180	360
Water for washing screw press	m3/day	0.3	0.6
Length X	m	2	3
Width Y	m	1.2	1.5
Height Z	m	1.6	1.9
Weight empty	kg	600	1600
Weight full	kg	750	1900




WATROMAT® Polymer liquid

Polymer unit for dissolving and dosing of liquid polymer-concentrate (50 % active), peristaltic dosing pump for polymer concentrate, mixing chamber with agitator, polymer solution approx. 0,1 %, polymer solution feed with water network pressure, cabinet

Material: Polypropylen
Delivery: 1 pc Polymer unit
Not included:

	type	WPL6	WPL12	WPL30	WPL135	
130160100	Polymer liquid	€	8'756. –	11'256. –	14'613. –	21'070. –
Liquid (50 % active)	l/hour	0.6	1.2	3.0	13.5	
Water (>3 Bar)	l/hour	180	300	600	900	
Electric power consumption	kWh		0.1		0.25	
Length X	mm		520		637	
Width Y	mm		302		504	
Height Z	mm		534		588	
Weight	kg		25		63	




WATROMAT® Polymer powder

Polymer unit for dissolving and dosing of powder polymer, chambers with agitators, polymer solution approx. 0,1 % polymer, hopper for powder storage, control cabinet.

Material: Polypropylen
Delivery: 1 pc Polymer unit
Not included: Dosing pump polymer solution 130501100

	type	WPP1	WPP2	WPP4	WPP8	WPP16	
130170100	Polymer powder	€	19'840. –	25'735. –	32'850. –	42'840. –	62'210. –
Powder (100 % active)	kg/hour	0.8	2	4	8	16	
Water clean, >3 Bar	l/hour	400	1000	2000	4000	8000	
Electric power consumption	kWh	1.5	2.6	3.2	5.0	9.5	
Volume hopper	l	50	100				
Length X	mm	1638	1890	3237	2190	2940	
Width Y	mm	1351	862	1148	1062	1062	
Height Z	mm	2030	2119	2119	3105	3305	
Weight empty	kg	250	400	500	600	1200	
Weight full	kg	400	1000	1200	1500	2400	



WATROMAT® Tube, Pump, Flow-meter, Injector, DS sensor

Tube for screw press plant, tube length sludge pump till mixing tank max. 10 m, tube length polymer plant till mixing tank max. 5 m, tube length mixing tank till screw press max. 1 m, including. back flow valve and sampling valves, without tube clamps, for delivery dismantled

Material: PVC
Delivery: 1 pc tube
Not included: Tube clamps



	type	WTU05	WTU15	WTU25	WTU50	WTU75
130500100	Tube	€	3'360. –	3'675. –	4'029. –	4'434. –
Throughput	m3/h	2	4	10	20	30
Diameter sludge pump till mixing tank	mm		50		100	
Diameter Polymer pump till mixing tank	mm		25		32	50
Diameter mixing tank till screw press	mm	50		100		150

	type	WPU0	WPU2	WPU4	WPU10	WPU20	WPU30
130501100	Pump	€	2'620. –	3'538. –	4'596. –	4'806. –	5'645. –
Throughput	m3/hour	0.5	2	4	10	20	30
Electric power consumption	kWh	0.55	0.75	1.5	2.2	4	7.5
Length X	mm	1030	1030	1665	1665	2110	2450
Width Y	mm	240	240	270	270	350	350
Height Z	mm	245	245	245	304	304	404
Weight	kg	48	53	58	70	85	120

	type	WFM15	WFM20	WFM25	WFM40	WFM50	WFM95
130502100	Flow meter	€	1'110. –	1'986. –	2'490. –	2'680. –	3'460. –
Throughput	m3/hour	0.5	2	4	10	20	30
Diameter	mm	15	20	25	40	50	95

	type	WSM10	WSM20
130503100	Polymer-injector	€	3'680. –
Throughput	m3/hour	10	20
Diameter	mm	50	100



	type	WDS10	WDS20
130504100	Dried solids sensor	€	10'850. –
Throughput	m3/hour	10	20
Diameter	mm	50	100



WATROMAT® Container 20'

Container 20' insulated with door and window for installation of bagging station, screw press, press dryer, air-conditioned, illuminated, for outdoor installation.

Material: Painted
Delivery: 1 pc container 20"
Not included:

	type	WCO20-WLS	WCO20-WPD
130800100	Container 20'	€	18'884. –
Electric power consumption	kWh		0.8
Length X	mm		5859
Width Y	mm		2000
Height Z	mm		2340
Weight empty	kg	700	700



Bunker-secador

página parte



18

20



20

21



23

22



25

23

página **parte**

Bunker-secador

18

20

Secador cinta

20

21

Bunker

24

22

Silo

**Transportador de
succión**

25

23

Bunker-secador 20

WATROMAT® Bunker-secador


Bunker-dryer for sludge from industrial or municipal waste water treatment plants, inlet 20 - 40 % dried solids, outlet 90 % dried solids, bunker next to dryer, screw conveyors transport sludge to the dryer, drying temperature 30°C/86°F, specific electric power consumption dryer: 333 W/kg H₂O, compressed air 25 l/min (>3 Bar), control cabinet.

Material Bunker dip galvanized, dryer SS304
Delivery: 1 pc bunker-dryer
Not included

	type	WBU05WBD04	WBU05WBD08	WBU05WBD15
200100100	Bunker-secador	€ 150'473. -	165'699. -	194'789. -
Bunker volume activ	m3		5	
Water removal at 5-40 °C environment	t/day	0.4	0.8	1.5
Electric power consumption	kWh	10.7	15.7	23.7
Cooling water >3 Bar (24°C)	m3/h	0.2	0.3	0.5
Length X	m		3.5	
Width Y	m		6	
Height Z	m		3.4	
Weight empty	t	1.5	1.7	1.8
Weight full	t	6.5	6.7	6.8




	type	WBU10WBD15	WBU10WBD30	WBU10WBD45
200100100	Bunker-secador	€ 218'498. -	286'953. -	355'384. -
Bunker volume activ	m3		10	
Water removal at 5-40 °C environment	t/day	1.5	3	4.5
Electric power consumption	kWh	27.8	47.8	67.8
Cooling water >3 Bar (24°C)	m3/h	0.5	1	1.5
Length X	m		4.6	6
Width Y	m		6	
Height Z	m		2.6	
Weight empty	t	7	8	9
Weight full	t	17	18	19



	type	WBU15WBD30	WBU15WBD45	WBU15WBD60
200100100	Bunker-secador	€ 293'011. -	361'442. -	426'883. -
Bunker volume activ	m3		15	
Water removal at 5-40 °C environment	t/day	3	4.5	6
Electric power consumption	kWh	47.8	67.8	86.8
Cooling water >3 Bar (24°C)	m3/h	1	1.5	2
Length X	m		5.9	7.9
Width Y	m		6	
Height Z	m		3.2	
Weight empty	t	8	9	10
Weight full	t	23	24	25



	type	WBU25WBD60	WBU25WBD75	WBU25WBD90	WBU25WBD105	WBU25WBD120
200100100	Bunker-secador	€ 459'432. -	525'845. -	637'748. -	699'030. -	720'312. -
Bunker volume activ	m3			25		
Water removal at 5-40 °C environment	t/day	6	7	9	10.5	12
Electric power consumption	kWh	88	108	128	148	168
Cooling water >3 Bar (24°C)	m3/h	2	2.5	3	3.5	4
Length X	m	7.9	9.5	11.7	13.6	15.4
Width Y	m			6		
Height Z	m			4.2		
Weight empty	t	10	11	12	13	14
Weight full	t	35	36	37	38	39




Bunker-secador 20

WATROMAT® Bunker-secador

Bunker-dryer for sludge from industrial or municipal waste water treatment plants, inlet 20 - 40 % dried solids, outlet 90 % dried solids, bunker in front of dryer, screw conveyors transport sludge to the dryer, drying temperature 30°C/86°F, specific electric power consumption dryer: 333 W/kg H₂O, compressed air 25 l/min (>3 Bar), control cabinet.

Material: Bunker dip galvanized, dryer SS304
Delivery: 1 pc bunker-dryer
Not included

	type	WBU35WBD150DD	WBU35WBD180DD	WBU35WBD210DD	WBU35WBD240DD
200100100	Bunker-secador	€ 983'041. -	€ 1'127'551. -	€ 1'312'442. -	€ 1'398'464. -
Bunker volume activ	m ³	25-30			
Water removal at 5-40 °C environment	t/day	15	18	21	24
Electric power consumption	kWh	220	259	289	330
Cooling water >3 Bar (24°C)	m ³ /h	5	6	7	8
Length X	m	24.9	26.8	28.7	30.6
Width Y	m	2.6			
Height Z	m	5.5			
Weight empty	t	23.3	25.1	27	28.9
Weight full	t	38	40	42	44



WATROMAT® Control cabinet bunker-secador

Control cabinet, execution as WATROMAT®-Master (M) or as Slave (S)-cabinet, master with Touch Panel KTP900, slave without Touch Panel, Profinet-Bus, SPS Siemens S7-1512, IO System ET200SP, power distribution, switching and protective devices, command and signaling devices, wired and tested

- Power code 1: 3 x 400 V / 1 x 230 V / 50 Hz
- Power code 2: 3 x 480 V / 1 x 110 V / 60 Hz

Material: Painted RAL9002
Delivery: 1 pc cabinet
Not included

	type	WEL208MWBU05	WEL208MWBU10	WEL86MWBU15	WEL208MWBU25	WEL208MWBU35
120200100	Cabinet bunker-secador	€ 14'650. -	€ 15'860. -	€ 16'520. -	€ 17'150. -	€ 18'865. -
Length X	mm	600				
Width Y	mm	800				
Height Z	mm	2000				
Weight	kg	30	35	40	75	85




Secador cinta 21

WATROMAT® Secador cinta

Belt dryer for sludge from industrial or municipal waste water treatment plant, inlet 20 to 40 % dried solids, outlet 90 % dried solids, sludge feed continuous, 24 h/day, minimum 30 min/h, sludge piece size maximum 100 mm, drying temperature 30°C/86°F, specific electric power consumption 333 W/kg H₂O, control cabinet.

Material: SS304
Delivery: 1 pc belt dryer
Not included:



	type	WBD04	WBD08
210100100	Secador cinta	79'790. -	95'016. -
Water removal at 5-40 °C environment	t/day	0.4	0.8
Electric power consumption	kWh	8	13
Cooling water >3 Bar (24°C)	m ³ /h	0.2	0.3
Length X	m	1.3	1.9
Width Y	m	1.6	
Height Z	m	2	
Weight empty	t	0.8	1.4
Weight full	t	0.9	1.8

	type	WBD15	WBD30	WBD45	WBD60
210100100	Secador cinta	124'106. -	192'561. -	260'992. -	326'433. -
Water removal at 5-40 °C environment	t/day	1.5	3	4.5	6
Electric power consumption	kWh	20	40	60	80
Cooling water >3 Bar (24°C)	m ³ /h	0.5	1.0	1.5	2
Length X	m	2.2	4.2	6	7.9
Width Y	m	2			
Height Z	m	2			
Weight empty	t	1.4	2.4	3.6	4.1
Weight full	t	1.8	3.2	4.8	5.7



	type	WBD75	WBD90	WBD105	WBD120
210100100	Secador cinta	392'846. -	504'749. -	566'031. -	587'313. -
Water removal at 5-40 °C environment	t/day	7.5	9	10.5	12
Electric power consumption	kWh	100	120	140	160
Cooling water >3 Bar (24°C)	m ³ /h	2.5	3	3.5	4
Length X	m	9.5	11.7	13.6	15.4
Width Y	m	2			
Height Z	m	2			
Weight empty	t	5.1	6.7	7.2	8.2
Weight full	t	7.9	10.1	10	10



	type	WBD120DD	WBD150DD	WBD180DD	WBD210DD	WBD240DD
210100100	Secador cinta double decker	650'980. -	775'794. -	920'304. -	1'105'195. -	1'191'217. -
Water removal at 5-40 °C environment	t/day	2x6	2x7.5	2x9	2x10.5	2x12
Electric power consumption	kWh	2x80	2x100	2x120	2x140	2x160
Cooling water >3 Bar (24°C)	m ³ /h	2x2	2x2.5	2x3	2x3.5	2x4
Length X	m	7.9	9.5	11.7	13.6	15.4
Width Y	m	2				
Height Z	m	4.2	4.2	4.5	4.2	4.2
Weight empty	t	8.2	10.2	12.2	15	17
Weight full	t	10	14.2	17.4	21.6	23



WATROMAT® Shredder

Shredder for sludge size reduction, sludge with 20 – 40 % dried solids, inlet size of sludge pieces maximum 100 mm, outlet approx. 20 mm, sludge feed continuous 24 hours/day, minimum 30 min/h.

Material: SS304
Delivery: 1 pc shredder
Not included:



WSH300.200



WSH1240.310

	type	WSH300.200	WSH400.200	WSH1240.310
210110100	Shredder	€ 8'875. -	11'232. -	15'460. -
Electric power	kWh		0.37	
Capacity sludge	t/day	6	10	30
Length inside	mm	300	400	1240
Width inside	mm		200	310
Height inside	mm		300	310
Weight	kg	50	64	110

WATROMAT® Rake

Rake für distribution of sludge pieces over the entire width of the belts, sludge with 20-40 dried solids, piece size <20 mm, pressure air 25 l/min (>3 Bar), sludge feed continuous 24 hours/day, minimum 30 min/h.

Material: SS304
Delivery: 1 pc rake
Not included:

	type	WRA900	WRA1200	WRA1200DD
210120100	Rake	€ 4'250. -	4'680. -	5'450. -
Länge	mm	900		1200
Gewicht	kg	12	18	25

WATROMAT® Collecting screw conveyor

Collecting screw conveyor for dry sludge (more than 70 % dried solids), integrated at end of belt dryer 210100100, outlet round 100 mm diameter

Material: SS304
Delivery: 1 pc collecting screw conveyor
Not included:

	type	WSC0.9/0	WSC1.2/0	WSC1.2DD
210130100	Collecting screw conveyor	€ 3'265. -	3'685. -	2'850. -
Electric power	kWh		0.37	
Length	mm	900	1200	1200
Weight	kg	4	15	14



WATROMAT® Collecting screw conveyor

Collecting screw conveyor for wet sludge (more than 20 % dried solids) integration at end of belt dryer 210100100, maximum 4 belt dryers can be connected with one collecting screw conveyor 210131000, distance from belt dryer to belt dryer 1,8 m

Material: SS304
Delivery: 1 pc collecting screw conveyor
Not included:



	type	WSC2400/0	WSC6150/0	WSC9900/0	WSC13650/0
210131100	Collecting screw conveyor	€ 24'546. -	29'685. -	34'586. -	38'586. -
Inlets	pc	1	2	3	4
Electric power	kWh		2.2		
Length	mm	2400	6150	9900	13650
Weight	kg	185	330	495	685




WATROMAT® Compact filter

Compact filter for belt dryer 210100100, WBD04 and WBD08 one pc, WBD15 two pcs, WBD30 four pcs, WBD45 six pcs, WBD60 eight pcs (till WBD240 32 pcs)

Material: Polyester
Delivery: 1 pc
Not included: Prefilter 210141100 and mounting frame 210142100

	type	869.592.292 (after 2016)	897.592.380 (before 2015)
210140100	Compact filter	€ 285. -	312. -
Length X	mm	869	897
Width Y	mm	592	592
Height Z	mm	292	380
Weight	kg	3	3



	type	869.592.20
210141100	Prefilter	€ 428. -
Length X	mm	869
Width Y	mm	592
Height Z	mm	20
Weight	kg	0.4



	type	887.609.70
210142100	Mounting frame	€ 254. -
Length X	mm	887
Width Y	mm	609
Height Z	mm	70
Weight	kg	0.2



	type	887.609.292
210143100	Filter cleaner	€/Filter 4'936. -
Pressure air >6 Bar	l/min	250
Length X	mm	869
Width Y	mm	592
Height Z	mm	292
Weight	kg	8



WATROMAT® Equipment

Material:
Delivery: 1 pc
Not included:



	type	WODS10	WHT46C	WDS851000	WAL030
210150100	Transmitter 4-20 mA	€ 425. -	325. -	256. -	315. -
Power supply	VDC	24			
Range		0.05 -12 m	0.05 - 3 m	0-1000 Pascal	0-30 Bar
Function		analog	1 switch	analog	analog

	type	EVAP400	EVAP800	EVAP1500
210160100	Evaporator SS	€ 7'071. -	9'890. -	12'450. -
Length X	mm	920	1620	1860
Width Y	mm	540	420	620
Height Z	mm	500	340	440
Weight	kg	104	118	210



	type	COND400	COND800	COND1500
210161100	Condensator SS	€ 7'677. -	12'828. -	21'162. -
Length X	mm	920	1620	1860
Width Y	mm	540	420	620
Height Z	mm	250	310	320
Weight	kg	154	172	280




	type	COMP400	COMP800	COMP1500
210162100	Compressor	€ 2'663. -	4'371. -	6'307. -

WATROMAT® Belt

Multiple belts made of modular members with perforated surface, drive with sprockets and geared motor.

Material: Polypropylen
Delivery: 1 row
Not included:

	type	0.9	1.2
210170100	Band	€/m (length) 576. -	768. -
Width	m	0.9	1.2
Weight	kg/m (length)	4.5	6



WATROMAT® Control cabinet secador cinta

Control cabinet, execution as WATROMAT®-Master (M) or as Slave (S)-cabinet, master with Touch Panel KTP900, slave without Touch Panel, Profinet-Bus, SPS Siemens S7-1512, IO System ET200SP, power distribution, switching and protective devices, command and signaling devices, wired and tested

- Power code 1: 3 x 400 V / 1 x 230 V / 50 Hz
- Power code 2: 3 x 480 V / 1 x 110 V / 60 Hz

Material: Polyester
Delivery: 1 pc cabinet
Not included:

	type	WEL64S
210200100	Control cabinet secador cinta	€ 8'565. -
Length X	mm	300
Width Y	mm	400
Height Z	mm	600
Weight	kg	41



	type	WEL86MWBD04	WEL86MWBD08
210200100	Control cabinet secador cinta	€ 12'500. -	13125. -
Length X	mm	300	
Width Y	mm	600	
Height Z	mm	800	
Weight	kg	41	43



	type	WEL208MWBD15	WEL208MWBD30	WEL208MWBD45	WEL208MWBD60
210200100	Control cabinet secador cinta	€ 14'900. -	15'450. -	15'895. -	16'235. -
Length X	mm		400		
Width Y	mm		800		
Height Z	mm		2100		
Weight	kg	56	58	62	65



	type	WEL208MWBD75	WEL208MWBD90	WEL208MWBD105	WEL208MWBD120
210200100	Control cabinet secador cinta	€ 16'852. -	17'350. -	17'856. -	18'365. -
Length X	mm		400		
Width Y	mm		800		
Height Z	mm		2100		
Weight	kg	68	72	75	78



	Typ	WEL208MWBD120D	WEL208MWBD150D	WEL86MWBD180D	WEL208MWBD210D	WEL208MWBD240D
210200100	Control cabinet secador cinta	€ 18'565. -	19'485. -	20'386. -	21'265. -	22'110. -
Length X	mm			400		
Width Y	mm			2x800		
Height Z	mm			2100		
Weight	kg	30	35	40	75	85




Bunker 22

WATROMAT® Bunker

Bunker for sludge from industrial or municipal waste water treatment plants with 20 to 40 % dried solids, for sludge buffering and dosing, with increasing screw conveyor for connection with belt dryer 210100100.

Material: Hot galvanized
Delivery: 1 pce bunker

Not included:



	type	WBU05	WBU10	WBU15	WBU20	WBU25	WBU35	
220100100	Bunker	€	68'063. -	90'854. -	95'854. -	102'854. -	127'354. -	201'602. -
Volume geometric	m3	5.6	11	17	20	27	36	
Electric power consumption bunker conveyor	kWh	4x0.37 / 5x0.37						
Electric power consumption collecting conveyor	kWh	2.2						
Electric power consumption increasing conveyor	kWh	3						
Length increasing conveyor	m	4.8	4.6				5.5	
Length bunker X	m	3.15	4.5					
Width bunker Y	m	1.1	2					
Height bunker Z	m	3.4	2.5	3.2	3.7	4.2	5.5	
Weight empty	t	3.8	5.4	5.8	6.7	6.8	11	
Weight full	t	8.8	15.4	20.3	25	30	36	




		type	WBU05	WBU10	WBU15	WBU20	WBU25	WBU35
220101100	Platform ladder	€	2'620. -	3'538. -	4'596. -	4'806. -	5'645. -	5'645. -
Length (X)		mm	1500					
Width (Y)		mm	1000					
Weight		kg	180	160	168	196	225	225

WATROMAT® Increasing screw conveyor

Increasing screw conveyor for sludge with 20-90 % dried solids

Material: Hot galvanized
Delivery: 1 pce increasing screw conveyor
Not included:

		type	WSC6329	WSC9829	WSC4629	WSC8329	WSC5150	WSC6150
220150100	Increasing screw conveyor	€	42'400. -	55'400. -	38'400. -	49'400. -	36'400. -	45'400. -
Function	use		To load bunker		To load 2 nd dryer		To load container	
Electric power	kWh		3	5.5	3	5.5	3	5.5
Lenght Y	mm		6329	9829	4629	8329	5150	6150
Height X	m		4.0	5.3	2.24	4.74	4.0	4.5
Weight	kg		420	750	450	780	320	650



Silo, transportador de succión 23

WATROMAT® Silo

Silo for dried sludge storage, minimum 70 % dried solids, feed with suction conveyor 230110100 till 230200100, discharging into silo-truck.

Material: Painted RAL9002
Delivery: 1 pc silo
Not included:

	type	WSi90
230100100	Silo	€ 195'820. --
Volume	m3	90
Diameter	mm	2900
Height	m	21.3
Weight empty	t	8
Weight full	t	100



WATROMAT® Transportador de succión plant

Suction conveyor plant for automatic filling of dry sludge into silo 230110100, sludge with minimum 70 % dried solids, cyclone, suction conveyor, suction tubes, automatic filter cleaning with pressure air, control cabinet

Material: Painted RAL9002
Delivery: 1 pc suction conveyor plant
Nicht inbegriffen:

	type	WSF
230110100	Cyclone	€ 25'820. --
Pressure air >6 Bar	l/min	250
Diameter	mm	700
Height	mm	1400
Weight	kg	218



	type	
230111100	Filter cartridge	€ 412. --
Length	mm	500
Weight	kg	2.5



	type	WSF
230112100	Transportador de succión	€ 12'455. --
Electric power	kWh	11
Feed height	m	15
Length X	mm	3300
Width Y	mm	1300
Height Z	mm	1600
Weight	kg	450



	type	
230113100	Coupling belt dryer	€ 686. --
Weight	kg	2.5



	type	galvanized	SS304
230114100	Suction tube	€/m 120. --	255. --
Length	m	3	1
Weight	kg/m	4	1



WATROMAT® Control cabinet silo

Control cabinet, execution as WATROMAT®-Master (M) or as Slave (S)-cabinet, master with Touch Panel KTP900, slave without Touch Panel, Profinet-Bus, SPS Siemens S7-1512, IO System ET200SP, power distribution, switching and protective devices, command and signaling devices, wired and tested

- Power code 1: 3 x 400 V / 1 x 230 V / 50 Hz
- Power code 2: 3 x 480 V / 1 x 110 V / 60 Hz

Material: Polyester
Delivery: 1 pc cabinet
Not included:

	type	WEL64S
230200100	Control cabinet silo	€ 8'565. --
Length X	mm	300
Width Y	mm	400
Height Z	mm	600
Weight	kg	41



Contenedor-secador

página parte



28

30



29

31



29

32



30

33

Contenedor-secador

28

30

Contenedor

29

31

Conducto de aire

30

32

Generador de aire seco

31


33

Contenedor-secador 30

WATROMAT® Contenedor-secador

Container-dryer for sludge from waste water treatment plants with plate and frame filter presses, inlet minimum 25-45 % dried solids, outlet 90 % dried solids, drying temperature 30°C/86°F, specific electric power consumption 333 W/kg H₂O, control cabinet

Material: SS304
Delivery: 1 pc container-dryer
Not included:



	type	WCD04	WCD08
300100100	Contenedor-secador	€ 53'534. -	69'402. -
Water removal at 10-35°C environment	t/day	0.4	0.8
Electric power	kWh	8	13
Drying container volume	m ³	6	
Length X	mm	1.3	2
Width Y	mm		0.9
Height Z	mm	2	
Weight empty	t	0.8	1.4
Weight full	t	6.8	7.4

	type	WCD12	WCD16	WCD20	WCD24
300100100	Contenedor-secador	€ 85'040. -	95'887. -	112'785. -	123'793. -
Water removal at 10-35°C environment	t/day	1.2	1.6	2	2.4
Electric power	kWh	16	21	26	33
Drying container volume	m ³			9	
Length X	m			3.5	
Width Y	m	3.1			3.7
Height Z	m		2.1		
Weight empty	t	2.9	3.1	3.6	3.8
Weight full	t	7.8	8	8.6	8.8



	type	WCD30	WCD45	WCD60	WCD90
300100100	Contenedor-secador	€ 140'844. -	171'802. -	192'067. -	242'417. -
Water removal at 10-35°C environment	t/day	3	4.5	6	9
Electric power	kWh	40	60	80	100
Cooling water >3Bar (24 °C)	m ³ /h	2.5	3	3.5	4.0
Drying container volume	m ³	15		20	30
Length X	m	4.5		6.7	7.2
Width Y	m	4.8		5.1	
Height Z	m	2.1		2.1	2.4
Weight empty	t	4.1	4.8	6.4	9.3
Weight full	t	10	16	18	30



WATROMAT® Control cabinet contenedor-secador

Control cabinet, execution as WATROMAT®-Master (M) or as Slave (S)-cabinet, master with Touch Panel KTP900, slave without Touch Panel, Profinet-Bus, SPS Siemens S7-1512, IO System ET200SP, power distribution, switching and protective devices, command and signaling devices, wired and tested

- Power code 1: 3 x 400 V / 1 x 230 V / 50 Hz
- Power code 2: 3 x 480 V / 1 x 110 V / 60 Hz

Material: Polyester
Delivery: 1 pc cabinet
Nicht inbegriffen: I

	type	WEL64WCD04	WEL86WCD08
300200100	Control cabinet contenedor-secador	€ 3'534. -	9'402. -
Length X	mm	300	
Width Y	mm	400	600
Height Z	mm	600	800
Weight	kg	30	40



	type	WEL86WCD12	WEL86WCD16	WEL86WCD20	WEL86WCD24
300200100	Control cabinet contenedor-secador	€ 5'040. -	5'887. -	12'785. -	23'793. -
Length X	mm			300	
Width Y	mm			600	
Height Z	mm			800	
Weight	kg			85	



	type	WEL208WCD30	WEL208WCD45	WEL208WCD60	WEL208WCD90
300200100	Control cabinet contenedor-secador	€ 12'500. -	16'136. -	17'712. -	23'960. -
Length X	mm			400	
Width Y	mm			800	
Height Z	mm			2100	
Weight	kg	120	130	140	150



Contenedor 31

WATROMAT® Contenedor

Drying container to use with container dryer 300100100, move and discharge with truck..

Material: Painted RAL3020
Delivery: 1 pc drying container
Not included: Plastic cover 310101100 (need hooks at the container)



		type	WTC06	WTC09	WGM15	WGM20	WGM30
310100100	Contenedor	€	5'841. -	6'540. -	7'172. -	7'832. -	8'798. -
Volume	m3		6	9	15	20	30
Capacity	t		3-5	4-7	5-10	8-15	12-20
Length X	m		3.5		4.5	5.7	6.7
Width Y	m		1.6		2		
Height Z	m		1.6	2	2	2.2	2.2
Weight	t		0.8	1.0	1.8	2.6	3.1



	type	WTC06	WTC09	WGM15	WGM20	WGM30	
310101100	Cover for contenedor	€	804. -	978. -	1'072. -	1'172. -	1'370. -
Length X	m	3.5		4.5	5.7	6.7	
Width Y	m	1.6		2			
Weight Z	kg	16	20	36	48	62	



		type	WTC06	WTC09	WGM15	WGM20	WGM30
310102100	Cover air inlet	€	486. -	486. -	665. -	856. -	1'065. -
Length X		m	1		2	3	4
Weight		kg	25		38	45	55



WATROMAT® Car

Car to move drying container 310100100, electric car on track rails.

Material: Painted RAL3020
Delivery: 1 pc car
Not included:

	type	WTW0WTC	WTW90WTC
310110100	Voiture	€	
		6'453. -	6'749. -
Track width	mm	1400	2000
Electric power	kWh	0.35	
Length X	mm	2100	1500
Width Y	mm	1500	2100
Height Z	mm	360	
Weight	t	0.33	0.38



Conducto de aire 32

WATROMAT® Conducto de aire contenedor WTC

Air duct for container WTC, connect drying container 310100100 type WTC with dry air generator 300100100.

Material: Galvanized
Delivery: 1 pc air duct
Not included:



	type	TLK04WTC06	TLK08WTC06	TLK12WTC09	TLK16WTC09	TLK20WTC09	TLK24WTC09
320100100	Conducto de aire contenedor WTC	€	1'997. –	2'162. –	2'327. –	2'327. –	2'492. –
Length X	mm	1000	1500	2000		2500	
Width Y	mm			670			
Height Z	mm			520			
Weight	kg	20	23	23	27	27	27

	type	RLK04WTC06	RLK08WTC06	RLK12WTC09	RLK16WTC09	RLK20WTC09	RLK24WTC09
320200100	Conducto de aire contenedor WTC	€	1'319. –	1'538. –	2'070. –	2'327. –	2'547. –
Length X	m	1.1	1.5	2		2	
Width Y	m			0.7			
Height Z	m			0.9			
Weight	kg	20	25	28	27	32	32

WATROMAT® Conducto de aire contenedor WGM

Air duct for container WGM, connect drying container 310100100 type WGM with dry air generator 300100100.

Material: Galvanized
Delivery: 1 pc air duct
Not included:



	type	TLK30WGM15	TLK45WGM20	TLK60WGM20	TLK90WGM30	
320300100	Conducto de aire contenedor WGM	€	5'003. –	7'038. –	7'335. –	10'338. –
Length X	m	11	11	12	14	
Width Y	mm	400	500	600	800	
Height Z	mm	920	1020	1420		
Weight	t	65	78	88	120	



	type	RLK30WGM15	RLK45WGM20	RLK60WGM20	RLK90WGM90	
320400100	Conducto de aire contenedor WGM	€	6'003. –	10'038. –	12'335. –	16'338. –
Length X	m	10		12		22
Width Y	m	0.5		0.6		1
Height Z	m	0.5		0.6		1
Weight	t	0.28		0.34		0.52



	type	TLK10	TLK15	TLK20	TLK30
320900100	Cuff conducto de aire dry air €	1'084. –	1'303. –	1'577. –	2'327. –
Length X	m	1	1.5	2	3
Width Y	m			0.4	
Height Z	m			0.25	
Weight	kg	12	14	18	24



	type	
320900200	Sealing air duct dry air	€
Length X	m	2
Weight	kg	41



Generador de aire seco 33

WATROMAT® Generador de aire seco

Dry air generator for container dryer 300100100, produce in a close cycle dry air with 20 % relative humidity

Material: SS304
Delivery: 1 pc dry air generator
Not included:



	type	TLG04	TLG08	TLG12	TLG16	TLG20	TLG24
330100100	Generador de aire seco	€ 39'424. -	54'908. -	69'350. -	80'497. -	96'753. -	107'761. -
Water removal at 10-35 °C environment	t/day	0.4	0.8	1.2	1.6	2	2.4
Electric power	kWh	8.0	13	16.5	21.5	27	33.5
Length X	m	0.9		1.2		1.2	
Width Y	m	1.3	1.9	2.6		3.8	
Height Z	m			2.1			
Weight	kg	0.3	0.5	0.9	1	1.4	1.4

	type	WCD30	WCD45	WCD60	WCD90
330100100	Generador de aire seco	€ 126'984. –	148'918. –	168'581. –	210'767. –
Water removal at 5-40 °C environment	t/day	3	4.5	6	9
Cooling water >3 Bar (24°C)	m3/h	1	1.5	2	3
Electric power	kWh	40	60	80	120
Length X	m	4.4	5.1	5.1	5.7
Width Y	m	1.6	1.9		
Height Z	m	2			
Weight	t	1.9	1.9	3.5	5.8



	type	EVAP04	EVAP000	EVAP1500
330160100	Evaporator copper	€ 1'969. -	3'421. -	5'494. -
Length X	mm	620	920	1620
Width Y	mm	360	540	420
Height Z	mm	280	250	310
Weight	kg	30	52	75



	type	COND400	COND800	COND1500
330161100	Condensator copper	€ 2'558. -	4'276. -	6'867. -
Length X	mm	920	1620	1860
Width Y	mm	540	420	620
Height Z	mm	250	310	320
Weight	kg	154	172	280



Cajita-secador

página parte



34

40



35

41



36

42



37

43

Cajita-secador

34

40

Cajita

35

41

Conducto de aire

36

42

Unidad de embolsado

37

43

Cajita-secador 40

WATROMAT® Cajita-secador


Skip-dryer for sludge from waste water treatment plants with plate and frame filter presses, batch operation, inlet 30 - 50 % dried solids, outlet 90 % dried solids, drying temperature 30°C / 86°F, specific electric power consumption 333 W/kg H₂O, control cabinet

Material: SS304
Delivery: 1 pc skip-dryer
Nicht inbegriffen:



	type	WSD01	WSD04	WSD08
400100100	Cajita-secador	€ 28'970. --	46'200. --	64'402. --
Water removal at 10-35 °C environment	t/day	0.1	0.4	0.8
Electric power	kWh	2.6	7.9	12.9
Volume drying skip	Liter	500	1320	1700
Length X	mm	1691	2225	
Width Y	mm	980	1918	2416
Height Z	mm	1490	2035	
Weight	t	0.4	0.6	0.8

	type	WSD12	WSD16	WSD20	WSD24
410100100	Cajita-secador	€ 77'291. --	88'438. --	105'966. --	116'974. --
Water removal at 10-35 °C environment	t/day	1.2	1.6	2	2.4
Electric power	kWh	16	21	26	31
Volume drying skip	Liter		2700		3700
Length X	mm		3213		3780
Width Y	mm		2560		3800
Height Z	mm		2115		2115
Weight	t	1.5	1.6	2.1	2.2



	type	490.490.47	507.507.70
400110100	Box filter/frame	€ 79.20	94.20
Length X	mm	490	507
Width Y	mm	490	507
Height Z	mm	47	70
Weight	kg	0.4	0.2



	type	EVAP01	EVAP04	EVAP08	EVAP16	EVAP24
400170000	Evaporator copper	€ 1'392. --	1'969. --	3'421. --	5'879. --	7'235. --
Length X	m	620	920	1620	2120	3120
Width Y	m	360	540	420	540	540
Height Z	m	280	250	310	280	380
Weight	kg	30	52	75	110	140



	type	COND01	COND04	COND08	COND16	COND24
400180000	Condensator copper	€ 1'809. --	2'559. --	4'276. --	7'054. --	8'682. --
Length X	m	620	920	1620	2120	3120
Width Y	m	360	540	420	540	540
Height Z	m	280	250	310	280	380
Weight	kg	75	99	125	155	180



WATROMAT® Control cabinet cajita-secador

Control cabinet, execution as WATROMAT®-Master (M) or as Slave (S)-cabinet, master with Touch Panel KTP900, slave without Touch Panel, Profinet-Bus, SPS Siemens S7-1512, IO System ET200SP, power distribution, switching and protective devices, command and signaling devices, wired and tested

- Power code 1: 3x400V/1x230V/50Hz (3 phases, neutral, earth)
- Power code 2: 3x480V (3 phases, earth), 1x110V/60Hz (phase, neutral, earth)

Material: Polyester
Delivery: 1 pc cabinet
Not included:

	type	WEL64WSD01	WEL64WSD04	WEL64WSD08	WEL86WSD16	WEL86WSD24
400200000	Control cabinet cajita-secad	€ 7'330. --	7'960. --	9'370. --	11'720. --	13'730. --
Length X	m		400		600	
Width Y	m		300		300	
Height Z	m		600		800	
Weight	kg	18	28	42	52	66



	type	MTR122
400250000	Temperatur controller	€ 341.20



Cajita 41


WATROMAT® Cajita

Drying skip to use with skip-dryer 400100100, with wheels, discharge with tilting traverse 410101100 and forklift (2-3 t)

Material: Hot galvanised or SS304
Delivery: 1 pc drying skip
Not included:



410101000



	type	WSK500	WSK770	WSK1320	WSK1700
410100100	Cajita hot galvanised	€ 1'704. –	2'396. –	3'364. –	3'985. –
	Cajita SS304	€ 2'896. –	4'061. –	5'719. –	6'764. –
Volume	liter	500	770	1320	1700
Usefull weight	kg	400	650	1050	1500
Length X	mm	1000	1325	1325	1325
Width Y	mm	980	1180	1680	2180
Height Z	mm	1054	1054	1154	1154
Weight	kg	90	200	250	300

WATROMAT® Tilting traverse

Tilting traverse with third leg to use for forklift and drying skip 410100100

Material: Painted
Delivery: 1 pc tilting traverse with third leg
Not included:



	type	WST500	WST770	WST1320	WST1700
410101100	Tilting traverse painted	€ 686. –	768. –	943. –	1'121. –
Distance between fork pockets	mm	250	450	450	590
Width of fork pockets	mm	200			
Height of fork pockets	mm	80			
Gewicht	kg	80	120	145	173





	type	Role fix	Swivel role	Role fix	Swivel role
410102100	Wheel Polyamid	€ 61. –	101. –	125. –	160. –
Usefull weight	kg	450	450	800	590
Brake	type	No	Yes, behind	No	Yes, behind
Height	mm	224			
Weight	kg	5	6	145	173



WATROMAT® Cajita

Drying skip to use with skip dryer 410100100, transported and discharged with forklift (5 t)

Material: Hot galvanised or SS304
Delivery: 1 pc drying skip
Not included:



	type	WTM2700	WTM3700
410110100	Cajita galvanized	€ 5'271. –	5'707. –
	Cajita SS304	€ 8'823. –	9'469. –
Volume	liter	2700	3700
Usefull weight	t	2.1	3
Length X	mm	2340	
Width Y	mm	2230	
Height Z	mm	1210	1470
Weight	t	2.1	2.6



	type	WTM
400111100	Tipping brake	€ 910.-



Conducto de aire 42

WATROMAT® Conducto de aire

Dry air duct, connect skip-dryer 400100100 with drying containers 400100100 or 410110100.

Material: SS304
Delivery: 1 pc dry air duct
Nicht inbegriffen:

	type	TLK01WSK500	TLK04WSK1320	TLK08WSK1700	TLK12WSK1700
420100100	Conducto de aire	€ 1'669. –	€ 2'126. –	€ 2'164. –	€ 2'464. –
Length X	mm	610	1100	1630	
Width Y	mm	320	380	380	
Height Z	mm	300	520	530	
Weight	kg	8	18	25	26



	type	TLK12WTM2700	TLK16WTM2700	TLK20WTM3700	TLK24WTM3700
420100100	Conducto de aire	€ 2'615. –	€ 2'615. –	€ 2'815. –	€ 2'815. –
Length X	m		1710		
Width Y	mm		1370		
Height Z	mm		700		
Weight	kg	35	42	48	54



	type	
420101100	Dry air duct seal	€ 242. –
Length X	m	2000
Weight	kg	41



WATROMAT® Wet air duct

Wet air duct, guide wet air from drying container 400100100 or 410110100 back to skip-dryer 400100100.

Material: PVC (frame SS304)
Delivery: 1 pc wet air duct
Not included:

	type	RLK01WSK500	RLK04WSK1320	RLK08WSK1700	RLK12WSK1700
420110100	Wet air duct	€ 1'595. –	€ 1'843. –	€ 1'724. –	€ 2'245. –
Length X	mm	800	1530	2030	2340
Width Y	mm	1080	1280	1280	1280
Height Z	mm	500	800	800	800
Weight	kg	6	9	15	19



	type	RLK12WTM2700	RLK16WTM2700	RLK20WTM3700	RLK24WTM3700
420110100	Wet air duct	€ 2'655. –	€ 2'655. –	€ 2'955. –	€ 2'955. –
Length X	mm	800	1530	2030	2340
Width Y	mm	1080	1280	1280	1280
Height Z	mm	500	800	800	800
Weight	kg	246	29	34	39



Unidad de embolsado 43


WATROMAT® Unidad de embolsado

Bagging unit for automatic filling of dry sludge into Big Bag, sludge with minimum 70 % dried solids, transport with vacuum, suction hose with 3 m long flexible tube, automatic filter cleaning with pressure air 250 l/min (>6 Bar), Bag opening >500mm, free height 1200 mm, control cabinet

Material: Painted RAL3020
Delivery: 1 pc bagging unit
Not included:



	type	WSF400	WSF800
430100100	Unidad de embolsado	€ 22'120. -	26'150. -
Capacity	kg/h	400	800
Electric power	kWh	3	5.5
Length X	m	1.3	
Width Y	m	1.3	
Height Z	m	3.4	
Weight	t	0.6	0.7



	type	WHO1	WHO2	WHO3
430200100	Hopper painted RAL3020	€ 2'940. -	3'962. -	5'102. -
Volume	l	500	1000	0.8
Free height	mm	1200	1400	1200
Length X	mm	970	970	1300
Width Y	mm	2070	2070	1300
Height Z	mm	2050	2050	4200
Weight	t	350	550	960



	type	
430300100	Water elevation system	€ 1'465. -
Förderleistung	m3/h	1
Leistungsaufnahme	kWh	0,5
Volumen	l	100



Transporte, Erección, Puesta en marcha, Supervisión

página parte



40

50



41

51



44

52



47

53

Transporte terrestre

40

50

Carga de mar

42

51

Gastos de viaje

46

52

**Erección,
Puesta en marcha,
Supervisión**

47

53

Transporte terrestre 100-1000 km 50

Part	Country											
	Destination	km	100	200	300	400	500	600	700	800	900	1000
		Days	1	2	3	3	3	4	4	4	5	5
10	Press dryer	WPD05xx	1188	1307	1426	1544	1663	1782	1901	2020	2138	2257
		WPDxx15	1254	1379	1505	1630	1756	1881	2006	2132	2257	2383
		WPDxx30	1968	2165	2362	2558	2755	2952	3149	3346	3542	3739
		WPDxx45	2700	2970	3240	3510	3780	4050	4320	4590	4860	5130
		WPDxx60	4118	4530	4942	5354	5766	6178	6589	7001	7413	7825
		WPDxx75	5122	5634	6146	6658	7170	7682	8195	8707	9219	9731
		WPDxx90	6178	6795	7413	8031	8649	9266	9884	10502	11120	11737
		WPDxx105	7181	7899	8617	9335	10053	10771	11489	12207	12925	13644
		WPDxx120	7877	8665	9453	10240	11028	11816	12603	13391	14179	14966
		WPDxx150DD	8056	8862	9667	10473	11278	12084	12890	13695	14501	15306
		WPDxx180DD	8681	9550	10418	11286	12154	13022	13890	14758	15627	16495
		WPDxx215DD	10091	11100	12109	13119	14128	15137	16146	17155	18164	19173
		WPDxx240DD	11019	12121	13222	14324	15426	16528	17630	18732	19834	20936
11	Thickener	WTH	4939	5433	5927	6421	6915	7409	7903	8397	8891	9384
12	Bagging point	WLS1-2	957	1052	1148	1244	1339	1435	1531	1626	1722	1818
		WLS3-5	1913	2105	2296	2487	2679	2870	3061	3253	3444	3635
13	Screw press	WSP05+WMT	2200	2420	2640	2860	3080	3300	3520	3740	3960	4180
		WSP15+WMT	2904	3194	3485	3775	4066	4356	4646	4937	5227	5518
		WSP25+WMT	3630	3993	4356	4719	5082	5445	5808	6171	6534	6897
		WSP50+WMT	4138	4552	4966	5380	5793	6207	6621	7035	7449	7863
		WSP75+WMT	4598	5058	5518	5977	6437	6897	7357	7817	8276	8736
20	Bunker-dryer	WBU05WBDxx	3451	3796	4141	4486	4831	5177	5522	5867	6212	6557
		WBUxxWBD15-45	5286	5815	6344	6872	7401	7930	8458	8987	9516	10044
		WBUxxWBD60	8627	9489	10352	11215	12078	12940	13803	14666	15528	16391
		WBUxxWBD75	9576	10534	11491	12449	13406	14364	15322	16279	17237	18194
		WBUxxWBD90	11424	12566	13709	14851	15994	17136	18278	19421	20563	21706
		WBUxxWBD105	12936	14230	15523	16817	18110	19404	20698	21991	23285	24578
		WBUxxWBD120	13272	14599	15926	17253	18580	19908	21235	22562	23889	25216
		WBUxxWBD150DD	17804	19584	21364	23145	24925	26705	28486	30266	32046	33827
		WBUxxWBD180DD	19162	21078	22994	24911	26827	28743	30659	32575	34492	36408
		WBUxxWBD210DD	20521	22573	24625	26677	28729	30781	32833	34885	36937	38989
		WBUxxWBD240DD	21879	24067	26255	28443	30631	32819	35006	37194	39382	41570
21	Belt dryer	WBD04-08	896	986	1075	1165	1255	1344	1434	1523	1613	1703
		WBD15	1113	1225	1336	1447	1558	1670	1781	1892	2004	2115
		WBD30	1700	1870	2040	2210	2380	2550	2720	2890	3060	3230
		WBD45	2277	2505	2732	2960	3188	3416	3643	3871	4099	4326
		WBD60	3198	3518	3838	4157	4477	4797	5117	5436	5756	6076
		WBD75	4326	4759	5192	5624	6057	6489	6922	7355	7787	8220
		WBD90	5032	5535	6039	6542	7045	7548	8051	8555	9058	9561
		WBD105	5849	6434	7019	7604	8189	8774	9359	9944	10529	11114
		WBD120	6818	7500	8182	8864	9546	10228	10909	11591	12273	12955
		WBD120DD	6927	7620	8313	9006	9698	10391	11084	11777	12469	13162
		WBD150DD	8330	9163	9996	10829	11663	12496	13329	14162	14995	15828
		WBD180DD	10260	11285	12311	13337	14363	15389	16415	17441	18467	19493
		WBD215DD	11926	13118	14311	15503	16696	17888	19081	20274	21466	22659
		WBD240DD	13504	14854	16205	17555	18906	20256	21606	22957	24307	25658
22	Bunker	WBU5	2366	2603	2840	3076	3313	3549	3786	4023	4259	4496
		WBU10-15	2880	3168	3456	3744	4032	4320	4608	4896	5184	5472
		WBU20-25	4385	4823	5262	5700	6139	6577	7016	7454	7893	8331
		WBU35	4722	5194	5666	6138	6610	7082	7555	8027	8499	8971
23	Silo	WSI	5677	6244	6812	7380	7947	8515	9083	9650	10218	10786
30	Container dryer	WCD30	2485	2734	2982	3231	3479	3728	3976	4225	4474	4722
		WCD48-60	4404	4844	5285	5725	6166	6606	7047	7487	7927	8368
		WCD90C	5136	5650	6163	6677	7190	7704	8218	8731	9245	9758
31	Drying container	WGM20	2643	2908	3172	3436	3701	3965	4229	4494	4758	5022
		WGM30	3692	4061	4430	4799	5168	5538	5907	6276	6645	7014
40	Skip-dryer	WSD01	260	286	312	338	364	390	416	442	468	494
		WSD04	515	566	617	669	720	772	823	875	926	978
		WSD08	980	1078	1176	1274	1372	1470	1568	1666	1764	1862
		WSD12-16	1119	1231	1343	1455	1567	1678	1790	1902	2014	2126
		WSD20-24	2060	2266	2472	2678	2884	3090	3296	3502	3708	3914
41	Drying skip	WSK05	293	323	352	381	411	440	469	499	528	558
		WSK13	488	537	586	634	683	732	781	830	879	927
		WSK17	553	608	664	719	774	830	885	940	996	1051
		WTM27	1051	1156	1262	1367	1472	1577	1682	1787	1892	1997
		WTM37	1277	1405	1533	1660	1788	1916	2043	2171	2299	2427
		WTC60-90	1454	1600	1745	1890	2036	2181	2327	2472	2617	2763
		WGM150-300	2110	2321	2532	2742	2953	3164	3375	3586	3797	4008
43	Bagging unit	WSF	619	681	743	805	867	929	990	1052	1114	1176

Transporte terrestre 1200-3000 km 50

Part	Country											
	Destination	km	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000
		Days	5	6	6	7	7	8	8	9	9	10
10	Press dryer	WPD05xx	2376	2495	2614	2732	2851	2970	3089	3208	3326	3445
		WPDxx15	2508	2633	2759	2884	3010	3135	3260	3386	3511	3637
		WPDxx30	3936	4133	4330	4526	4723	4920	5117	5314	5510	5707
		WPDxx45	5400	5670	5940	6210	6480	6750	7020	7290	7560	7830
		WPDxx60	8237	8649	9060	9472	9884	10296	10708	11120	11532	11943
		WPDxx75	10243	10755	11268	11780	12292	12804	13316	13828	14340	14853
		WPDxx90	12355	12973	13591	14208	14826	15444	16062	16680	17297	17915
		WPDxx105	14362	15080	15798	16516	17234	17952	18670	19388	20106	20824
		WPDxx120	15754	16542	17330	18117	18905	19693	20480	21268	22056	22844
		WPDxx150DD	16112	16918	17723	18529	19334	20140	20946	21751	22557	23362
		WPDxx180DD	17363	18231	19099	19967	20835	21704	22572	23440	24308	25176
		WPDxx215DD	20182	21192	22201	23210	24219	25228	26237	27246	28255	29264
		WPDxx240DD	22037	23139	24241	25343	26445	27547	28649	29750	30852	31954
11	Thickener	WTH	9878	10372	10866	11360	11854	12348	12842	13336	13830	14324
12	Bagging point	WLS1-2	1913	2009	2105	2200	2296	2392	2487	2583	2679	2774
		WLS3-5	3827	4018	4210	4401	4592	4784	4975	5166	5358	5549
13	Screw press	WSP05+WMT	4400	4620	4840	5060	5280	5500	5720	5940	6160	6380
		WSP15+WMT	5808	6098	6389	6679	6970	7260	7550	7841	8131	8422
		WSP25+WMT	7260	7623	7986	8349	8712	9075	9438	9801	10164	10527
		WSP50+WMT	8276	8690	9104	9518	9932	10346	10759	11173	11587	12001
		WSP75+WMT	9196	9656	10116	10575	11035	11495	11955	12415	12874	13334
20	Bunker-dryer	WBU05WBDxx	6902	7247	7592	7937	8282	8628	8973	9318	9663	10008
		WBUxxWBD15-45	10573	11101	11630	12159	12687	13216	13745	14273	14802	15331
		WBUxxWBD60	17254	18116	18979	19842	20704	21567	22430	23292	24155	25018
		WBUxxWBD75	19152	20110	21067	22025	22982	23940	24898	25855	26813	27770
		WBUxxWBD90	22848	23990	25133	26275	27418	28560	29702	30845	31987	33130
		WBUxxWBD105	25872	27166	28459	29753	31046	32340	33634	34927	36221	37514
		WBUxxWBD120	26543	27871	29198	30525	31852	33179	34506	35834	37161	38488
		WBUxxWBD150DD	35607	37387	39168	40948	42728	44509	46289	48069	49850	51630
		WBUxxWBD180DD	38324	40240	42156	44073	45989	47905	49821	51737	53654	55570
		WBUxxWBD210DD	41041	43093	45145	47197	49249	51301	53353	55405	57457	59509
		WBUxxWBD240DD	43758	45946	48134	50322	52510	54698	56885	59073	61261	63449
21	Belt dryer	WBD04-08	1792	1882	1971	2061	2151	2240	2330	2419	2509	2599
		WBD15	2226	2338	2449	2560	2672	2783	2894	3006	3117	3228
		WBD30	3400	3570	3740	3910	4080	4250	4420	4590	4760	4930
		WBD45	4554	4782	5009	5237	5465	5693	5920	6148	6376	6603
		WBD60	6396	6716	7035	7355	7675	7995	8315	8634	8954	9274
		WBD75	8653	9085	9518	9950	10383	10816	11248	11681	12114	12546
		WBD90	10064	10568	11071	11574	12077	12580	13084	13587	14090	14593
		WBD105	11699	12284	12869	13454	14038	14623	15208	15793	16378	16963
		WBD120	13637	14319	15000	15682	16364	17046	17728	18410	19091	19773
		WBD120DD	13855	14547	15240	15933	16626	17318	18011	18704	19397	20089
		WBD150DD	16661	17494	18327	19160	19993	20826	21659	22492	23325	24158
		WBD180DD	20519	21545	22571	23597	24623	25649	26675	27701	28727	29753
		WBD215DD	23851	25044	26236	27429	28621	29814	31007	32199	33392	34584
		WBD240DD	27008	28358	29709	31059	32410	33760	35110	36461	37811	39162
22	Bunker	WBU5	4733	4969	5206	5442	5679	5916	6152	6389	6626	6862
		WBU10-15	5760	6048	6336	6624	6912	7200	7488	7776	8064	8352
		WBU20-25	8770	9208	9647	10085	10524	10962	11400	11839	12277	12716
		WBU35	9443	9915	10388	10860	11332	11804	12276	12748	13221	13693
23	Silo	WSI	11354	11921	12489	13057	13624	14192	14760	15327	15895	16463
30	Container dryer	WCD30	4971	5219	5468	5716	5965	6213	6462	6710	6959	7207
		WCD48-60	8808	9249	9689	10129	10570	11010	11451	11891	12331	12772
		WCD90C	10272	10785	11299	11813	12326	12840	13353	13867	14381	14894
31	Drying container	WGM20	5287	5551	5815	6080	6344	6608	6873	7137	7401	7666
		WGM30	7384	7753	8122	8491	8860	9229	9599	9968	10337	10706
40	Skip-dryer	WSD01	520	546	572	598	624	650	676	702	728	754
		WSD04	1029	1081	1132	1183	1235	1286	1338	1389	1441	1492
		WSD08	1960	2058	2156	2254	2352	2450	2548	2646	2744	2842
		WSD12-16	2238	2350	2462	2574	2685	2797	2909	3021	3133	3245
		WSD20-24	4120	4326	4532	4738	4944	5150	5356	5562	5768	5974
41	Drying skip	WSK05	587	616	646	675	704	734	763	792	822	851
		WSK13	976	1025	1074	1123	1171	1220	1269	1318	1367	1415
		WSK17	1106	1161	1217	1272	1327	1383	1438	1493	1549	1604
		WTM27	2103	2208	2313	2418	2523	2628	2733	2838	2944	3049
		WTM37	2554	2682	2810	2938	3065	3193	3321	3448	3576	3704
		WTC60-90	2908	3054	3199	3344	3490	3635	3781	3926	4072	4217
		WGM150-300	4219	4430	4641	4852	5063	5274	5485	5696	5907	6118
43	Bagging unit	WSF	1238	1300	1362	1424	1486	1548	1610	1671	1733	1795

Part	Country											
	Destination	km	1200	1400	1600	1800	2000	2200	2400	2600	2800	3000
		Days	5	6	6	7	7	8	8	9	9	10
10	Press dryer	WPD05xx	2376	2495	2614	2732	2851	2970	3089	3208	3326	3445
		WPDxx15	2508	2633	2759	2884	3010	3135	3260	3386	3511	3637
		WPDxx30	3936	4133	4330	4526	4723	4920	5117	5314	5510	5707
		WPDxx45	5400	5670	5940	6210	6480	6750	7020	7290	7560	7830
		WPDxx60	8237	8649	9060	9472	9884	10296	10708	11120	11532	11943
		WPDxx75	10243	10755	11268	11780	12292	12804	13316	13828	14340	14853
		WPDxx90	12355	12973	13591	14208	14826	15444	16062	16680	17297	17915
		WPDxx105	14362	15080	15798	16516	17234	17952	18670	19388	20106	20824
		WPDxx120	15754	16542	17330	18117	18905	19693	20480	21268	22056	22844
		WPDxx150DD	16112	16918	17723	18529	19334	20140	20946	21751	22557	23362
		WPDxx180DD	17363	18231	19099	19967	20835	21704	22572	23440	24308	25176
		WPDxx215DD	20182	21192	22201	23210	24219	25228	26237	27246	28255	29264
		WPDxx240DD	22037	23139	24241	25343	26445	27547	28649	29750	30852	31954
11	Thickener	WTH	9878	10372	10866	11360	11854	12348	12842	13336	13830	14324
12	Bagging point	WLS1-2	1913	2009	2105	2200	2296	2392	2487	2583	2679	2774
		WLS3-5	3827	4018	4210	4401	4592	4784	4975	5166	5358	5549
13	Screw press	WSP05+WMT	4400	4620	4840	5060	5280	5500	5720	5940	6160	6380
		WSP15+WMT	5808	6098	6389	6679	6970	7260	7550	7841	8131	8422
		WSP25+WMT	7260	7623	7986	8349	8712	9075	9438	9801	10164	10527
		WSP50+WMT	8276	8690	9104	9518	9932	10346	10759	11173	11587	12001
		WSP75+WMT	9196	9656	10116	10575	11035	11495	11955	12415	12874	13334
20	Bunker-dryer	WBU05WBDxx	6902	7247	7592	7937	8282	8628	8973	9318	9663	10008
		WBUxxWBD15-45	10573	11101	11630	12159	12687	13216	13745	14273	14802	15331
		WBUxxWBD60	17254	18116	18979	19842	20704	21567	22430	23292	24155	25018
		WBUxxWBD75	19152	20110	21067	22025	22982	23940	24898	25855	26813	27770
		WBUxxWBD90	22848	23990	25133	26275	27418	28560	29702	30845	31987	33130
		WBUxxWBD105	25872	27166	28459	29753	31046	32340	33634	34927	36221	37514
		WBUxxWBD120	26543	27871	29198	30525	31852	33179	34506	35834	37161	38488
		WBUxxWBD150DD	35607	37387	39168	40948	42728	44509	46289	48069	49850	51630
		WBUxxWBD180DD	38324	40240	42156	44073	45989	47905	49821	51737	53654	55570
		WBUxxWBD210DD	41041	43093	45145	47197	49249	51301	53353	55405	57457	59509
		WBUxxWBD240DD	43758	45946	48134	50322	52510	54698	56885	59073	61261	63449
21	Belt dryer	WBD04-08	1792	1882	1971	2061	2151	2240	2330	2419	2509	2599
		WBD15	2226	2338	2449	2560	2672	2783	2894	3006	3117	3228
		WBD30	3400	3570	3740	3910	4080	4250	4420	4590	4760	4930
		WBD45	4554	4782	5009	5237	5465	5693	5920	6148	6376	6603
		WBD60	6396	6716	7035	7355	7675	7995	8315	8634	8954	9274
		WBD75	8653	9085	9518	9950	10383	10816	11248	11681	12114	12546
		WBD90	10064	10568	11071	11574	12077	12580	13084	13587	14090	14593
		WBD105	11699	12284	12869	13454	14038	14623	15208	15793	16378	16963
		WBD120	13637	14319	15000	15682	16364	17046	17728	18410	19091	19773
		WBD120DD	13855	14547	15240	15933	16626	17318	18011	18704	19397	20089

		WBD150DD	16661	17494	18327	19160	19993	20826	21659	22492	23325	24158
		WBD180DD	20519	21545	22571	23597	24623	25649	26675	27701	28727	29753
		WBD215DD	23851	25044	26236	27429	28621	29814	31007	32199	33392	34584
		WBD240DD	27008	28358	29709	31059	32410	33760	35110	36461	37811	39162
22	Bunker	WBU5	4733	4969	5206	5442	5679	5916	6152	6389	6626	6862
		WBU10-15	5760	6048	6336	6624	6912	7200	7488	7776	8064	8352
		WBU20-25	8770	9208	9647	10085	10524	10962	11400	11839	12277	12716
		WBU35	9443	9915	10388	10860	11332	11804	12276	12748	13221	13693
23	Silo	WSI	11354	11921	12489	13057	13624	14192	14760	15327	15895	16463
30	Container dryer	WCD30	4971	5219	5468	5716	5965	6213	6462	6710	6959	7207
		WCD48-60	8808	9249	9689	10129	10570	11010	11451	11891	12331	12772
		WCD90C	10272	10785	11299	11813	12326	12840	13353	13867	14381	14894
31	Drying container	WGM20	5287	5551	5815	6080	6344	6608	6873	7137	7401	7666
		WGM30	7384	7753	8122	8491	8860	9229	9599	9968	10337	10706
40	Skip-dryer	WSD01	520	546	572	598	624	650	676	702	728	754
		WSD04	1029	1081	1132	1183	1235	1286	1338	1389	1441	1492
		WSD08	1960	2058	2156	2254	2352	2450	2548	2646	2744	2842
		WSD12-16	2238	2350	2462	2574	2685	2797	2909	3021	3133	3245
		WSD20-24	4120	4326	4532	4738	4944	5150	5356	5562	5768	5974
41	Drying skip	WSK05	587	616	646	675	704	734	763	792	822	851
		WSK13	976	1025	1074	1123	1171	1220	1269	1318	1367	1415
		WSK17	1106	1161	1217	1272	1327	1383	1438	1493	1549	1604
		WTM27	2103	2208	2313	2418	2523	2628	2733	2838	2944	3049
		WTM37	2554	2682	2810	2938	3065	3193	3321	3448	3576	3704
		WTC60-90	2908	3054	3199	3344	3490	3635	3781	3926	4072	4217
		WGM150-300	4219	4430	4641	4852	5063	5274	5485	5696	5907	6118
43	Bagging unit	WSF	1238	1300	1362	1424	1486	1548	1610	1671	1733	1795

Canada-USA

51

Part	Country		Canada	Canada	Canada	Canada	USA	USA	USA	USA
	Destination	km	Vancouv	Montreal	Toronto	Quebec	Los A	Housten	Orleans	Charl
		Days	31	10	11	9	27	22	20	17
10	Press dryer	WPD05xx	3646	1176	1294	1059	3176	2587	2352	1999
		WPDxx15	5401	1742	1917	1568	4704	3833	3485	2962
		WPDxx30	7435	2399	2638	2159	6476	5277	4797	4077
		WPDxx45	7812	2520	2772	2268	6804	5544	5040	4284
		WPDxx60	10652	3436	3780	3093	9278	7560	6873	5842
		WPDxx75	12066	3892	4282	3503	10510	8563	7785	6617
		WPDxx90	13836	4463	4910	4017	12051	9819	8927	7588
		WPDxx105	16083	5188	5707	4669	14008	11414	10376	8820
		WPDxx120	15376	4960	5456	4464	13392	10912	9920	8432
		WPDxx150DD	15234	4914	5406	4423	13268	10811	9828	8354
		WPDxx180DD	19031	6139	6753	5525	16575	13506	12278	10436
		WPDxx215DD	22121	7136	7850	6422	19267	15699	14272	12131
		WPDxx240DD	25302	8162	8978	7346	22037	17956	16324	13875
11	Thickener	WTH	15640	5045	5550	4541	13622	11099	10090	8577
12	Bagging point	WLS1-2	3563	1149	1264	1034	3103	2528	2298	1954
		WLS3-5	7125	2298	2528	2069	6206	5056	4597	3907
13	Screw press	WSP500+WMT	8928	2880	3168	2592	7776	6336	5760	4896
		WSP1500+WMT	11160	3600	3960	3240	9720	7920	7200	6120
		WSP2500+WMT	14731	4752	5227	4277	12830	10454	9504	8078
		WSP5000+WMT	13811	4455	4901	4010	12029	9801	8910	7574
		WSP7500+WMT	18905	6098	6708	5489	16466	13416	12197	10367
		WSP15000+WMT	22506	7260	7986	6534	19602	15972	14520	12342
20	Bunker-dryer	WBU05WBDxx	29217	9425	10367	8482	25447	20735	18850	16022
		WBUxxWBD30-45	34239	11045	12149	9940	29821	24299	22090	18776
		WBUxxWBD60	41195	13289	14617	11960	35879	29235	26577	22591
		WBUxxWBD75	45122	14556	16011	13100	39300	32022	29111	24744
		WBUxxWBD90	61409	19809	21790	17828	53485	43580	39618	33676
		WBUxxWBD105	69536	22431	24674	20188	60564	49348	44862	38133
		WBUxxWBD120	60232	19430	21373	17487	52460	42746	38860	33031
		WBUxxWBD150DD	53866	17376	19114	15639	46916	38228	34752	29540
		WBUxxWBD180DD	58808	18970	20867	17073	51220	41735	37941	32250
		WBUxxWBD210DD	62977	20315	22347	18284	54851	44694	40631	34536
		WBUxxWBD240DD	67825	21879	24067	19691	59073	48134	43758	37194
21	Belt dryer	WBD400-800	1293	417	459	375	1126	917	834	709
		WBD1500	3781	1220	1342	1098	3293	2683	2439	2073
		WBD3000	5294	1708	1878	1537	4611	3757	3415	2903
		WBD4500	5429	1751	1927	1576	4729	3853	3503	2977
		WBD6000	6817	2199	2419	1979	5937	4838	4398	3738
		WBD7500	7520	2426	2669	2183	6550	5337	4852	4124
		WBD9000	8805	2840	3124	2556	7669	6249	5681	4828
		WBD10500	10235	3302	3632	2971	8914	7263	6603	5613
		WBD12000	9319	3006	3307	2705	8116	6613	6012	5110
		WBD12000DD	10299	3322	3655	2990	8971	7309	6645	5648
		WBD15000DD	12385	3995	4395	3596	10787	8790	7991	6792
		WBD18000DD	15472	4991	5490	4492	13476	10980	9982	8485
		WBD21500DD	17985	5802	6382	5221	15664	12764	11603	9863
		WBD24000DD	20571	6636	7299	5972	17917	14599	13272	11281
22	Bunker	WBU5	4406	1421	1563	1279	3837	3127	2842	2416
		WBU10-15	4464	1440	1584	1296	3888	3168	2880	2448
		WBU20-25	6419	2071	2278	1864	5591	4555	4141	3520
		WBU35	7319	2361	2597	2125	6374	5194	4722	4013
23	Silo	WSI	22173	7153	7868	6437	19312	15736	14305	12160
30	Container dryer	WCD3000	7866	2538	2791	2284	6851	5583	5075	4314
		WCD4800-6000	13120	4232	4655	3809	11427	9311	8464	7195
		WCD9000C	15300	4935	5429	4442	13326	10858	9871	8390
31	Drying container	WGM20000	8194	2643	2908	2379	7137	5815	5287	4494
		WGM30000	11445	3692	4061	3323	9968	8122	7384	6276
40	Skip-dryer	WSD100	2345	756	832	681	2042	1664	1513	1286
		WSD400	1994	643	707	579	1737	1415	1286	1093
		WSD800	3832	1236	1360	1112	3337	2719	2472	2101
		WSD1200-1600	4062	1310	1442	1179	3538	2883	2621	2228
		WSD2000-2400	6520	2103	2314	1893	5679	4627	4207	3576
41	Drying skip	WSK500	1882	607	668	546	1639	1336	1214	1032
		WSK1320	2389	771	848	694	2081	1695	1541	1310
		WSK1700	2368	764	840	688	2063	1681	1528	1299
		WTM2700	3915	1263	1389	1137	3410	2778	2526	2147
		WTM3700	4399	1419	1561	1277	3832	3122	2838	2412
		WTC6000-9000	4508	1454	1600	1309	3926	3199	2908	2472
		WGM	6540	2110	2321	1899	5696	4641	4219	3586
43	Bagging unit	WSF	2881	930	1022	837	2510	2045	1859	1580

Mexico-Argentina

51

Part	Country		Mexico	Mexico	Panama	Nicaragua	Colombia	Chile	Peru	Brazil	Uruguay	Argent
	Destination	km	Mazatlan	Veracruz	Colon	Manag	Cartagena	Valp	Callao	Santos	Montev	Arbue
		Days	30	15	19	19	19	31	30	18	20	21
10	Press dryer	WPD05xx	3528	1764	2235	2235	2235	3646	3528	2117	2352	2470
		WPDxx15	5227	2614	3311	3311	3311	5401	5227	3136	3485	3659
		WPDxx30	7196	3598	4557	4557	4557	7435	7196	4317	4797	5037
		WPDxx45	7560	3780	4788	4788	4788	7812	7560	4536	5040	5292
		WPDxx60	10309	5154	6529	6529	6529	10652	10309	6185	6873	7216
		WPDxx75	11677	5839	7396	7396	7396	12066	11677	7006	7785	8174
		WPDxx90	13390	6695	8480	8480	8480	13836	13390	8034	8927	9373
		WPDxx105	15564	7782	9857	9857	9857	16083	15564	9339	10376	10895
		WPDxx120	14880	7440	9424	9424	9424	15376	14880	8928	9920	10416
		WPDxx150DD	14742	7371	9337	9337	9337	15234	14742	8845	9828	10320
		WPDxx180DD	18417	9208	11664	11664	11664	19031	18417	11050	12278	12892
		WPDxx215DD	21408	10704	13558	13558	13558	22121	21408	12845	14272	14985
		WPDxx240DD	24486	12243	15508	15508	15508	25302	24486	14692	16324	17140
11	Thickener	WTH	15135	7568	9586	9586	9586	15640	15135	9081	10090	10595
12	Bagging point	WLS1-2	3448	1724	2183	2183	2183	3563	3448	2069	2298	2413
		WLS3-5	6895	3448	4367	4367	4367	7125	6895	4137	4597	4827
13	Screw press	WSP500+WMT	8640	4320	5472	5472	5472	8928	8640	5184	5760	6048
		WSP1500+WMT	10800	5400	6840	6840	6840	11160	10800	6480	7200	7560
		WSP2500+WMT	14256	7128	9029	9029	9029	14731	14256	8554	9504	9979
		WSP5000+WMT	13365	6683	8465	8465	8465	13811	13365	8019	8910	9356
		WSP7500+WMT	18295	9148	11587	11587	11587	18905	18295	10977	12197	12807
		WSP15000+WMT	21780	10890	13794	13794	13794	22506	21780	13068	14520	15246
20	Bunker-dryer	WBU05WBDxx	28274	14137	17907	17907	17907	29217	28274	16965	18850	19792
		WBUxxWBD30-45	33134	16567	20985	20985	20985	34239	33134	19881	22090	23194
		WBUxxWBD60	39866	19933	25248	25248	25248	41195	39866	23919	26577	27906
		WBUxxWBD75	43667	21833	27655	27655	27655	45122	43667	26200	29111	30567
		WBUxxWBD90	59428	29714	37638	37638	37638	61409	59428	35657	39618	41599
		WBUxxWBD105	67293	33647	42619	42619	42619	69536	67293	40376	44862	47105
		WBUxxWBD120	58289	29145	36917	36917	36917	60232	58289	34974	38860	40803
		WBUxxWBD150DD	52129	26064	33015	33015	33015	53866	52129	31277	34752	36490
		WBUxxWBD180DD	56911	28456	36044	36044	36044	58808	56911	34147	37941	39838
		WBUxxWBD210DD	60946	30473	38599	38599	38599	62977	60946	36568	40631	42662
		WBUxxWBD240DD	65637	32819	41570	41570	41570	67825	65637	39382	43758	45946
21	Belt dryer	WBD400-800	1251	625	792	792	792	1293	1251	751	834	876
		WBD1500	3659	1830	2317	2317	2317	3781	3659	2195	2439	2561
		WBD3000	5123	2561	3244	3244	3244	5294	5123	3074	3415	3586
		WBD4500	5254	2627	3328	3328	3328	5429	5254	3153	3503	3678
		WBD6000	6597	3298	4178	4178	4178	6817	6597	3958	4398	4618
		WBD7500	7278	3639	4609	4609	4609	7520	7278	4367	4852	5094
		WBD9000	8521	4260	5397	5397	5397	8805	8521	5113	5681	5965
		WBD10500	9905	4952	6273	6273	6273	10235	9905	5943	6603	6933
		WBD12000	9018	4509	5712	5712	5712	9319	9018	5411	6012	6313
		WBD12000DD	9967	4984	6313	6313	6313	10299	9967	5980	6645	6977
		WBD15000DD	11986	5993	7591	7591	7591	12385	11986	7192	7991	8390
		WBD18000DD	14973	7487	9483	9483	9483	15472	14973	8984	9982	10481
		WBD21500DD	17405	8702	11023	11023	11023	17985	17405	10443	11603	12183
		WBD24000DD	19908	9954	12608	12608	12608	20571	19908	11945	13272	13935
22	Bunker	WBU5	4264	2132	2700	2700	2700	4406	4264	2558	2842	2985
		WBU10-15	4320	2160	2736	2736	2736	4464	4320	2592	2880	3024
		WBU20-25	6212	3106	3934	3934	3934	6419	6212	3727	4141	4348
		WBU35	7082	3541	4486	4486	4486	7319	7082	4249	4722	4958
23	Silo	WSI	21458	10729	13590	13590	13590	22173	21458	12875	14305	15021
30	Container dryer	WCD3000	7613	3806	4821	4821	4821	7866	7613	4568	5075	5329
		WCD4800-6000	12696	6348	8041	8041	8041	13120	12696	7618	8464	8888
		WCD9000C	14806	7403	9377	9377	9377	15300	14806	8884	9871	10364
31	Drying container	WGM20000	7930	3965	5022	5022	5022	8194	7930	4758	5287	5551
		WGM30000	11075	5538	7014	7014	7014	11445	11075	6645	7384	7753
40	Skip-dryer	WSD100	2269	1135	1437	1437	1437	2345	2269	1362	1513	1588
		WSD400	1929	965	1222	1222	1222	1994	1929	1158	1286	1351
		WSD800	3708	1854	2349	2349	2349	3832	3708	2225	2472	2596
		WSD1200-1600	3931	1966	2490	2490	2490	4062	3931	2359	2621	2752
		WSD2000-2400	6310	3155	3996	3996	3996	6520	6310	3786	4207	4417
41	Drying skip	WSK500	1821	911	1153	1153	1153	1882	1821	1093	1214	1275
		WSK1320	2312	1156	1464	1464	1464	2389	2312	1387	1541	1618
		WSK1700	2292	1146	1452	1452	1452	2368	2292	1375	1528	1604
		WTM2700	3788	1894	2399	2399	2399	3915	3788	2273	2526	2652
		WTM3700	4257	2129	2696	2696	2696	4399	4257	2554	2838	2980
		WTC6000-9000	4362	2181	2763	2763	2763	4508	4362	2617	2908	3054
		WGM	6329	3164	4008	4008	4008	6540	6329	3797	4219	4430
43	Bagging unit	WSF	2789	1394	1766	1766	1766	2881	2789	1673	1859	1952

Turkey-Iran

51

Part	Country		Turkey	Israel	Agypt	Jordan	UA	Katar	Bharein	Saudi	Iran	Irak
	Destination	km	Istanbul	TelAviv	Kairo	Amman	Dubai	Doha	Manama	Damman	BanAB	UmmQ
		Days	10	14	15	21	26	27	28	29	30	31
10	Press dryer	WPD05xx	1176	1647	1764	2470	3058	3176	3293	3411	3528	3646
		WPDxx15	1742	2439	2614	3659	4530	4704	4879	5053	5227	5401
		WPDxx30	2399	3358	3598	5037	6236	6476	6716	6956	7196	7435
		WPDxx45	2520	3528	3780	5292	6552	6804	7056	7308	7560	7812
		WPDxx60	3436	4811	5154	7216	8934	9278	9622	9965	10309	10652
		WPDxx75	3892	5449	5839	8174	10120	10510	10899	11288	11677	12066
		WPDxx90	4463	6249	6695	9373	11605	12051	12497	12944	13390	13836
		WPDxx105	5188	7263	7782	10895	13489	14008	14527	15046	15564	16083
		WPDxx120	4960	6944	7440	10416	12896	13392	13888	14384	14880	15376
		WPDxx150DD	4914	6880	7371	10320	12777	13268	13760	14251	14742	15234
		WPDxx180DD	6139	8595	9208	12892	15961	16575	17189	17803	18417	19031
		WPDxx215DD	7136	9990	10704	14985	18553	19267	19981	20694	21408	22121
		WPDxx240DD	8162	11427	12243	17140	21221	22037	22854	23670	24486	25302
11	Thickener	WTH	5045	7063	7568	10595	13117	13622	14126	14631	15135	15640
12	Bagging point	WLS1-2	1149	1609	1724	2413	2988	3103	3218	3333	3448	3563
		WLS3-5	2298	3218	3448	4827	5976	6206	6436	6665	6895	7125
13	Screw press	WSP500+WMT	2880	4032	4320	6048	7488	7776	8064	8352	8640	8928
		WSP1500+WMT	3600	5040	5400	7560	9360	9720	10080	10440	10800	11160
		WSP2500+WMT	4752	6653	7128	9979	12355	12830	13306	13781	14256	14731
		WSP5000+WMT	4455	6237	6683	9356	11583	12029	12474	12920	13365	13811
		WSP7500+WMT	6098	8538	9148	12807	15856	16466	17076	17685	18295	18905
		WSP15000+WMT	7260	10164	10890	15246	18876	19602	20328	21054	21780	22506
20	Bunker-dryer	WBU05WBDxx	9425	13195	14137	19792	24504	25447	26389	27332	28274	29217
		WBUxxWBD30-45	11045	15463	16567	23194	28716	29821	30925	32030	33134	34239
		WBUxxWBD60	13289	18604	19933	27906	34550	35879	37208	38537	39866	41195
		WBUxxWBD75	14556	20378	21833	30567	37844	39300	40755	42211	43667	45122
		WBUxxWBD90	19809	27733	29714	41599	51504	53485	55466	57447	59428	61409
		WBUxxWBD105	22431	31403	33647	47105	58321	60564	62807	65050	67293	69536
		WBUxxWBD120	19430	27202	29145	40803	50517	52460	54403	56346	58289	60232
		WBUxxWBD150DD	17376	24327	26064	36490	45178	46916	48653	50391	52129	53866
		WBUxxWBD180DD	18970	26559	28456	39838	49323	51220	53117	55014	56911	58808
		WBUxxWBD210DD	20315	28441	30473	42662	52820	54851	56883	58914	60946	62977
		WBUxxWBD240DD	21879	30631	32819	45946	56885	59073	61261	63449	65637	67825
21	Belt dryer	WBD400-800	417	584	625	876	1084	1126	1168	1209	1251	1293
		WBD1500	1220	1708	1830	2561	3171	3293	3415	3537	3659	3781
		WBD3000	1708	2391	2561	3586	4440	4611	4781	4952	5123	5294
		WBD4500	1751	2452	2627	3678	4554	4729	4904	5079	5254	5429
		WBD6000	2199	3079	3298	4618	5717	5937	6157	6377	6597	6817
		WBD7500	2426	3396	3639	5094	6307	6550	6793	7035	7278	7520
		WBD9000	2840	3976	4260	5965	7385	7669	7953	8237	8521	8805
		WBD10500	3302	4622	4952	6933	8584	8914	9244	9574	9905	10235
		WBD12000	3006	4209	4509	6313	7816	8116	8417	8718	9018	9319
		WBD12000DD	3322	4651	4984	6977	8638	8971	9303	9635	9967	10299
		WBD15000DD	3995	5593	5993	8390	10388	10787	11187	11586	11986	12385
		WBD18000DD	4991	6988	7487	10481	12977	13476	13975	14474	14973	15472
		WBD21500DD	5802	8122	8702	12183	15084	15664	16245	16825	17405	17985
		WBD24000DD	6636	9290	9954	13935	17253	17917	18580	19244	19908	20571
22	Bunker	WBU5	1421	1990	2132	2985	3695	3837	3979	4121	4264	4406
		WBU10-15	1440	2016	2160	3024	3744	3888	4032	4176	4320	4464
		WBU20-25	2071	2899	3106	4348	5384	5591	5798	6005	6212	6419
		WBU35	2361	3305	3541	4958	6138	6374	6610	6846	7082	7319
23	Silo	WSI	7153	10014	10729	15021	18597	19312	20028	20743	21458	22173
30	Container dryer	WCD3000	2538	3553	3806	5329	6598	6851	7105	7359	7613	7866
		WCD4800-6000	4232	5925	6348	8888	11004	11427	11850	12273	12696	13120
		WCD9000C	4935	6910	7403	10364	12832	13326	13819	14313	14806	15300
31	Drying container	WGM20000	2643	3701	3965	5551	6873	7137	7401	7666	7930	8194
		WGM30000	3692	5168	5538	7753	9599	9968	10337	10706	11075	11445
40	Skip-dryer	WSD100	756	1059	1135	1588	1967	2042	2118	2194	2269	2345
		WSD400	643	900	965	1351	1672	1737	1801	1865	1929	1994
		WSD800	1236	1731	1854	2596	3214	3337	3461	3585	3708	3832
		WSD1200-1600	1310	1835	1966	2752	3407	3538	3669	3800	3931	4062
		WSD2000-2400	2103	2945	3155	4417	5469	5679	5889	6100	6310	6520
41	Drying skip	WSK500	607	850	911	1275	1578	1639	1700	1761	1821	1882
		WSK1320	771	1079	1156	1618	2004	2081	2158	2235	2312	2389
		WSK1700	764	1070	1146	1604	1986	2063	2139	2216	2292	2368
		WTM2700	1263	1768	1894	2652	3283	3410	3536	3662	3788	3915
		WTM3700	1419	1987	2129	2980	3690	3832	3973	4115	4257	4399
		WTC6000-9000	1454	2036	2181	3054	3781	3926	4072	4217	4362	4508
		WGM	2110	2953	3164	4430	5485	5696	5907	6118	6329	6540
43	Bagging unit	WSF	930	1301	1394	1952	2417	2510	2603	2696	2789	2881

India-Australia

51

Part	Country		India	SriLa	Vietnam	Taiwan	Korea	Korea	Taiwan	Austr	Austr	Papua
	Destination	km	Mumbai	Colom	Hanoi	Kaoh	Busan	Seoul	Taipei	Perth	Melb	Mores
		Days	20	21	26	33	33	34	41	34	35	28
10	Press dryer	WPD05xx	2352	2470	3058	3881	3881	3999	4822	3999	4116	3293
		WPDxx15	3485	3659	4530	5750	5750	5924	7144	5924	6098	4879
		WPDxx30	4797	5037	6236	7915	7915	8155	9834	8155	8395	6716
		WPDxx45	5040	5292	6552	8316	8316	8568	10332	8568	8820	7056
		WPDxx60	6873	7216	8934	11340	11340	11683	14089	11683	12027	9622
		WPDxx75	7785	8174	10120	12845	12845	13234	15959	13234	13623	10899
		WPDxx90	8927	9373	11605	14729	14729	15175	18300	15175	15622	12497
		WPDxx105	10376	10895	13489	17121	17121	17640	21271	17640	18158	14527
		WPDxx120	9920	10416	12896	16368	16368	16864	20336	16864	17360	13888
		WPDxx180DD	9828	10320	12777	16217	16217	16708	20148	16708	17200	13760
		WPDxx150DD	12278	12892	15961	20259	20259	20873	25170	20873	21486	17189
		WPDxx215DD	14272	14985	18553	23549	23549	24262	29257	24262	24976	19981
		WPDxx240DD	16324	17140	21221	26935	26935	27751	33464	27751	28567	22854
11	Thickener	WTH	10090	10595	13117	16649	16649	17153	20685	17153	17658	14126
12	Bagging point	WLS1-2	2298	2413	2988	3792	3792	3907	4712	3907	4022	3218
		WLS3-5	4597	4827	5976	7585	7585	7815	9423	7815	8044	6436
13	Screw press	WSP500+WMT	5760	6048	7488	9504	9504	9792	11808	9792	10080	8064
		WSP1500+WMT	7200	7560	9360	11880	11880	12240	14760	12240	12600	10080
		WSP2500+WMT	9504	9979	12355	15682	15682	16157	19483	16157	16632	13306
		WSP5000+WMT	8910	9356	11583	14702	14702	15147	18266	15147	15593	12474
		WSP7500+WMT	12197	12807	15856	20125	20125	20735	25003	20735	21344	17076
		WSP15000+WMT	14520	15246	18876	23958	23958	24684	29766	24684	25410	20328
20	Bunker-dryer	WBU05WBDxx	18850	19792	24504	31102	31102	32044	38642	32044	32987	26389
		WBUxxWBD30-45	22090	23194	28716	36448	36448	37552	45284	37552	38657	30925
		WBUxxWBD60	26577	27906	34550	43852	43852	45181	54483	45181	46510	37208
		WBUxxWBD75	29111	30567	37844	48033	48033	49489	59678	49489	50944	40755
		WBUxxWBD90	39618	41599	51504	65370	65370	67351	81218	67351	69332	55466
		WBUxxWBD105	44862	47105	58321	74022	74022	76265	91967	76265	78509	62807
		WBUxxWBD120	38860	40803	50517	64118	64118	66061	79662	66061	68004	54403
		WBUxxWBD150DD	34752	36490	45178	57342	57342	59079	71242	59079	60817	48653
		WBUxxWBD180DD	37941	39838	49323	62602	62602	64499	77779	64499	66396	53117
		WBUxxWBD210DD	40631	42662	52820	67040	67040	69072	83293	69072	71104	56883
		WBUxxWBD240DD	43758	45946	56885	72201	72201	74389	89704	74389	76577	61261
21	Belt dryer	WBD400-800	834	876	1084	1376	1376	1418	1710	1418	1459	1168
		WBD1500	2439	2561	3171	4025	4025	4147	5001	4147	4269	3415
		WBD3000	3415	3586	4440	5635	5635	5806	7001	5806	5977	4781
		WBD4500	3503	3678	4554	5780	5780	5955	7181	5955	6130	4904
		WBD6000	4398	4618	5717	7257	7257	7476	9016	7476	7696	6157
		WBD7500	4852	5094	6307	8006	8006	8248	9946	8248	8491	6793
		WBD9000	5681	5965	7385	9373	9373	9657	11645	9657	9941	7953
		WBD10500	6603	6933	8584	10895	10895	11225	13536	11225	11555	9244
		WBD12000	6012	6313	7816	9920	9920	10221	12325	10221	10521	8417
		WBD12000DD	6645	6977	8638	10964	10964	11296	13622	11296	11628	9303
		WBD15000DD	7991	8390	10388	13185	13185	13584	16381	13584	13984	11187
		WBD18000DD	9982	10481	12977	16471	16471	16970	20464	16970	17469	13975
		WBD21500DD	11603	12183	15084	19145	19145	19726	23787	19726	20306	16245
		WBD24000DD	13272	13935	17253	21898	21898	22562	27207	22562	23226	18580
22	Bunker	WBU5	2842	2985	3695	4690	4690	4832	5827	4832	4974	3979
		WBU10-15	2880	3024	3744	4752	4752	4896	5904	4896	5040	4032
		WBU20-25	4141	4348	5384	6833	6833	7040	8489	7040	7247	5798
		WBU35	4722	4958	6138	7791	7791	8027	9679	8027	8263	6610
23	Silo	WSI	14305	15021	18597	23604	23604	24319	29326	24319	25034	20028
30	Container dryer	WCD3000	5075	5329	6598	8374	8374	8628	10404	8628	8881	7105
		WCD4800-6000	8464	8888	11004	13966	13966	14389	17352	14389	14813	11850
		WCD9000C	9871	10364	12832	16287	16287	16781	20235	16781	17274	13819
31	Drying container	WGM20000	5287	5551	6873	8723	8723	8987	10838	8987	9252	7401
		WGM30000	7384	7753	9599	12183	12183	12552	15136	12552	12921	10337
40	Skip-dryer	WSD100	1513	1588	1967	2496	2496	2572	3101	2572	2647	2118
		WSD400	1286	1351	1672	2122	2122	2187	2637	2187	2251	1801
		WSD800	2472	2596	3214	4079	4079	4203	5068	4203	4326	3461
		WSD1200-1600	2621	2752	3407	4325	4325	4456	5373	4456	4587	3669
		WSD2000-2400	4207	4417	5469	6941	6941	7151	8624	7151	7362	5889
41	Drying skip	WSK500	1214	1275	1578	2003	2003	2064	2489	2064	2125	1700
		WSK1320	1541	1618	2004	2543	2543	2620	3160	2620	2697	2158
		WSK1700	1528	1604	1986	2521	2521	2598	3132	2598	2674	2139
		WTM2700	2526	2652	3283	4167	4167	4294	5177	4294	4420	3536
		WTM3700	2838	2980	3690	4683	4683	4825	5818	4825	4967	3973
		WTC6000-9000	2908	3054	3781	4799	4799	4944	5962	4944	5089	4072
		WGM	4219	4430	5485	6962	6962	7173	8649	7173	7384	5907
43	Bagging unit	WSF	1859	1952	2417	3067	3067	3160	3811	3160	3253	2603

Gastos de viaje

52

Country	Distance in km Destination	Travel time Hours	Car/Flight costs	Field allowance costs	Travel costs Euro
	100	2	180	24	404
	200	4	360	47	807
	300	6	540	71	1211
	400	7	680	82	1462
	500	8	800	94	1694
	600	9	900	106	1906
	700	10	840	118	1958
	800	11	880	129	2109
	900	12	900	141	2241
	1000	13	960	153	2413
	1200	14	1104	165	2669
	1400	15	1232	176	2908
	1600	16	1344	188	3132
	1800	17	1440	200	3340
	2000	18	1480	212	3492
	2200	19	1628	224	3752
	2400	20	1776	235	4011
	2600	21	1924	247	4271
	2800	22	2072	259	4531
	3000	24	2220	282	4902
Near and Middle East					
Türkey	Istanbul	12	900	141	2241
Israel	Tel Aviv	14	1000	165	2565
Agypten	Kairo	15	1000	176	2676
Emirate	Dubai	18	1100	212	3112
Saudi Arabia	Riadh	18	1200	212	3212
Iran	Teheran	20	1200	235	3435
Asia					
Indien	Mumbay	28	1120	329	4249
Malaysia	Kuala Lumpur	30	1450	353	4803
Taiwan	Taipei	36	1550	424	5574
Korea	Seoul	38	1610	447	5857
Japan	Tokyo	42	1800	494	6494
Australien	Melbourne	46	1800	541	6941
America					
Kanada	Montreal	23	1120	271	3691
USA	New York	24	960	282	3642
USA	Chicago	27	1250	318	4268
USA	Charleston	28	1250	329	4379
USA	New Orleans	30	1450	353	4803
USA	Los Angeles	34	1600	400	5400
Colombia	Bogota	34	1320	400	5120
Mexico	Mexico	35	1320	412	5232
Brasilien	Sao Paulo	36	1320	424	5344
Peru	Lima	38	1650	447	5897
Uruguay	Montevideo	40	1580	471	6051
Argentinien	Buones Aires	42	1580	494	6274

Erección, Puesta en marcha rection 53

Part	Name	Type	Days	Expert	Fitter	Total people	Costs Euro€
10	Press-dryer	WPD05..	5	1	1	2	9500
		WPD15..	8	1	1	2	15200
		WPD25..	10	1	1	2	19000
		WPD50..	12	1	1	2	22800
		WPD50...DD	14	1	1	2	26600
11	Thickener	WTH	4	1	1	2	7600
12	Bagging point	WLS	1		1	1	950
13	Screw press	WSP500	2	1	1	2	3800
		WSP1500	3	1	1	2	5700
		WSP2500	4	1	1	2	7600
		WSP5000	5	1	1	2	9500
		WSP7500	6	1	1	2	11400
20	Bunker-dryer	WBU05WBD..	3	1		1	2850
		WBU10WBD..	4	1		1	3800
		WBU15WBD..	5	1	1	2	9500
		WBU25WBD..	7.5	1	1	2	14250
		WBU35WBD...DD	12	1	1	2	22800
21	Belt dryer	WBD400-800	2	1		1	1900
		WBD1500-3000	2.5	1		1	2375
		WBD4500-6000	3.5	1	1	2	6650
		WBD7500-9000	4.5	1	1	2	8550
		WBD10500-12000	5.5	1	1	2	10450
		WBD15000-18000DD	7.5	1	1	2	14250
		WBD21000-24000DD	9.5	1	1	2	18050
22	Bunker	WBU5	1		1	1	950
		WBU10-15	1.5		1	1	1425
		WBU20-25	2		1	1	1900
		WBU35	2.5		1	1	2375
23	Silo, suction conveyor	WSI	7	1	1	2	13300
30	Container-dryer	WCD3000-6000	3	1	1	2	5700
		WCD9000	4	1	1	2	7600
40	Skip-dryer	WSD100-800	1	1		1	950
		WSD1200-2400	2	1		1	1900
		WSF	1		1	1	950

Supervisión

53

Part	Name	Type	Days	Expert	Costs
					Euro
10	Press-dryer	WPD05..	5	1	4750
		WPD15..	8	1	7600
		WPD25..	10	1	9500
		WPD50..	12	1	11400
		WPD50...DD	14	1	13300
11	Thickener	WTH	4	1	3800
12	Bagging point	WLS	1		0
13	Screw press	WSP500	2	1	1900
		WSP1500	3	1	2850
		WSP2500	4	1	3800
		WSP5000	5	1	4750
		WSP7500	6	1	5700
20	Bunker-dryer	WBU05WBD..	3	1	2850
		WBU10WBD..	4	1	3800
		WBU15WBD..	5	1	4750
		WBU25WBD..	7.5	1	7125
		WBU35WBD...DD	12	1	11400
21	Belt dryer	WBD400-800	2	1	1900
		WBD1500-3000	2.5	1	2375
		WBD4500-6000	3.5	1	3325
		WBD7500-9000	4.5	1	4275
		WBD10500-12000	5.5	1	5225
		WBD15000-18000DD	7.5	1	7125
		WBD21000-24000DD	9.5	1	9025
22	Bunker	WBU5	1	0	0
		WBU10-15	1.5	0	0
		WBU20-25	2	0	0
		WBU35	2.5	0	0
23	Silo, suction conveyor	WSI	7	1	6650
30	Container-dryer	WCD3000-6000	3	1	2850
		WCD9000	4	1	3800
40	Skip-dryer	WSD100-800	1	1	950
		WSD1200-2400	2	1	1900
		WSF	1	0	0

50